

# Index to volume 129

## Author index\*

### A

- Aartman IHA (see van Steenberghe et al). 2006;129:658-65  
 Abrahão M (see Aidar et al). 2006;129:486-96  
 Açar U (see Ay et al). 2006;129:36-41  
 Ahn S-J, Kim T-W, Lee D-Y, Nahm D-S. Evaluation of internal derangement of the temporomandibular joint by panoramic radiographs compared with magnetic resonance imaging. 2006;129:479-85  
 Aidar LAA, Abrahão M, Yamashita HK, Dominguez GC. Herbst appliance therapy and temporomandibular joint disc position: A prospective longitudinal magnetic resonance imaging study. 2006;129:486-96  
 Akin E, Sayin MO, Karacay S, Bulakbaşı N. Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite. 2006;129:24-8  
 Akiyama M (see Endo et al). 2006;129:29-35  
 Akyalçın S (see Işıkşal et al). 2006;129:8-16  
 Al-Musallam TA, Evans CA, Drummond JL, Matasa C, Wu CD. Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride. 2006;129:245-51  
 Alonso LG (see Pellizoni et al). 2006;129:785-93  
 Amberman BD (see Moullas et al). 2006;129:S111-8 (Case rep.)  
 Anderson NK (see McKoy-White et al). 2006;129:17-23  
 Angelieri F, Almeida RR, Almeida MR, Fuziy A. Dentoalveolar and skeletal changes associated with the pendulum appliance followed by fixed orthodontic treatment. 2006;129:520-7  
 Arguelles J (see Carlos et al). 2006;129:402-6  
 Arhun N, Arman A, Sescen Ç, Karabulut E, Korkmaz Y, Gokalp S. Shear bond strength of orthodontic brackets with 3 self-etch adhesives. 2006;129:547-50 (Short comm.)  
 Arman A (see Arhun et al). 2006;129:547-50 (Short comm.)  
 Aubert M (see Dugoni et al). 2006;129:S80-1  
 Ay S, Açar U, Bıçakçı AA, Köşger HH. Changes in mandibular third molar angle and position after unilateral mandibular first molar extraction. 2006;129:36-41  
 Azevedo ARP, Janson G, Henriques JFC, de Freitas MR. Evaluation of asymmetries between subjects with Class II subdivision and apparent facial asymmetry and those with normal occlusion. 2006;129:376-83

### B

- Babacan H (see Doruk et al). 2006;129:65-72 (Case rep.)  
 Baccetti T (see Cozza et al). 2006;129:599 (Online Only)  
 Baccetti T (see Cozza et al). 2006;129:734-9  
 Baccetti T (see Franchi and Baccetti). 2006;129:687-90  
 Baccetti T (see Geran et al). 2006;129:631-40  
 Baik H-S (see Park et al). 2006;129:599 (Online Only)  
 Barros SEC (see Janson et al). 2006;129:666-71  
 Baumrind S (see Dugoni et al). 2006;129:S80-1  
 Beckmann S (see Kuitert et al). 2006;129:649-57  
 Beele H (see Temmerman et al). 2006;129:691-5 (Rev. article)  
 Beltrão RTS (see Janson et al). 2006;129:768-74  
 Bernabé E, del Castillo CE, Flores-Mir C. Discriminant analysis of indiscriminate data. 2006;129:5 (Letter reply)  
 Best AM (see Squire et al). 2006;129:804-8  
 Bıçakçı A (see Doruk et al). 2006;129:65-72 (Case rep.)  
 Bıçakçı AA (see Ay et al). 2006;129:36-41  
 Binder RE (see Mupparapu et al). 2006;129:825-8 (Clin. corner)  
 Boehme A (see Sfondrini et al). 2006;129:541-6  
 Boras I (see Drevenšek et al). 2006;129:555-8 (Short comm.)  
 Bousquet JA Jr, Tuesta O, Flores-Mir C. In vivo comparison of force decay between injection molded and die-cut stamped elastomers. 2006;129:384-9  
 Brandão M, Pinho HS, Urias D. Clinical and quantitative assessment of headgear compliance: A pilot study. 2006;129:238-44  
 Bravo LA (see Vicente et al). 2006;129:390-5  
 Bresin A (see Katsaros et al). 2006;129:351-7

- Briss BS (see Owens et al). 2006;129:324-9 (Spec. article)  
 Brook KJ (see Skidmore et al). 2006;129:718 (Letter reply)  
 Brook KJ (see Skidmore et al). 2006;129:230-8  
 Bulakbaşı N (see Akin et al). 2006;129:24-8  
 Bulut H, Turkmün M, Kaya AD. Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel. 2006;129:266-71  
 Burstone CJ (see van Steenberghe et al). 2006;129:658-65  
 Buschang PH. Maxillomandibular expansion: Short-term relapse potential and long-term stability. 2006;129:S75-9

### C

- Cacciafesta V (see Macchi et al). 2006;129:605-10 (Techno byte)  
 Cacciafesta V (see Sfondrini et al). 2006;129:541-6  
 Cacciafesta V, Sfondrini MF, Stifanelli P, Scribante A, Klersy C. Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer. 2006;129:273-6  
 Campos LC (see Gonçalves et al). 2006;129:431-5 (Clin. corner)  
 Cangialosi TJ (see Santoro et al). 2006;129:345-51  
 Canteras M (see Vicente et al). 2006;129:390-5  
 Capel Narvai P (see Frazão and Capel Narvai). 2006;129:809-16  
 Carlos F, Cobo J, Díaz-Esnal B, Arguelles J, Vijande M, Costales M. Orthodontic tooth movement after inhibition of cyclooxygenase-2. 2006;129:402-6  
 Carrafiello G (see Macchi et al). 2006;129:605-10 (Techno byte)  
 Cevidanes LHS, Styner MA, Proffit WR. Image analysis and superimposition of 3-dimensional cone-beam computed tomography models. 2006;129:611-8 (Techno byte)  
 Chan E, Darendeliler MA. Physical properties of root cementum: Part 7. Extent of root resorption under areas of compression and tension. 2006;129:504-10  
 Chen J (see Katona et al). 2006;129:54-9  
 Chitnis D, Dunn WJ, Gonzales DA. Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive systems. 2006;129:330 (Online Only)  
 Chiu P, McNamara JA Jr, Franchi L. Distal jet versus pendulum appliance. 2006;129:3 (Letter reply)  
 Chubb TK. Articulator just an instrument. 2006;129:720 (Letter)  
 Cibrian R (see Paredes et al). 2006;129:427-30 (Short comm.)  
 Ciuffolo F, Epifania E, Duranti G, Luca VD, Raviglia D, Rezza S, Festa F. Rapid prototyping: A new method of preparing trays for indirect bonding. 2006;129:75-8 (Techno byte)  
 Cobo J (see Carlos et al). 2006;129:402-6  
 Conboy F (see O'Brien et al). 2006;129:536-40  
 Conley RS, Legan HL. Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement. 2006;129:283-92 (Case rep.)  
 Cordray FE. Three-dimensional analysis of models articulated in the seated condylar position from a deprogrammed asymptomatic population: A prospective study. Part 1. 2006;129:619-30  
 Costales M (see Carlos et al). 2006;129:402-6  
 Cozza P, Baccetti T, Franchi L, McNamara JA. Treatment effects of a modified quad-helix in patients with dentoskeletal open bites. 2006;129:734-9  
 Cozza P, Baccetti T, Franchi L, Toffoli LD, McNamara JA. Mandibular changes produced by functional appliances in Class II malocclusion: A systematic review. 2006;129:599 (Online Only)  
 Crabill KE (see Kokich and Crabill). 2006;129:S55-63  
 Cronau M, Ihlow D, Kubein-Meesenburg D, Fanghänel J, Dathe H, Nügerl H. Biomechanical features of the periodontium: An experimental pilot study in vivo. 2006;129:599 (Online Only)

### D

- Darendeliler MA (see Chan and Darendeliler). 2006;129:504-10  
 Darendeliler MA (see Rex et al). 2006;129:358-67  
 Dathe H (see Cronau et al). 2006;129:599 (Online Only)  
 de Almeida FR (see Otsuka et al). 2006;129:222-9

\*January, pp. 1-172; February, pp. 173-318; March, pp. 319-452; April, pp. 453-592; May, pp. 593-714; June, pp. 715-870.

- de Almeida FR, Lowe AA, Otsuka R, Fastlicht S, Farbood M, Tsuiki S. Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. Study-model analysis. 2006;129:205-13
- de Almeida FR, Lowe AA, Sung JO, Tsuiki S, Otsuka R. Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. Cephalometric analysis. 2006;129:195-204
- de Almeida MR (see Angelieri et al). 2006;129:520-7
- de Almeida MR (see Pedrin et al). 2006;129:418-23 (Short comm.)
- de Almeida RR (see Angelieri et al). 2006;129:520-7
- de Almeida RR (see Pedrin et al). 2006;129:418-23 (Short comm.)
- de Almeida-Pedrin RR (see Pedrin et al). 2006;129:418-23 (Short comm.)
- de Castro RCFR (see de Freitas et al). 2006;129:559-61 (Short comm.)
- de Freitas MR (see Azevedo et al). 2006;129:376-83
- de Freitas MR (see Garib et al). 2006;129:749-58
- de Freitas MR (see Janson et al). 2006;129:666-71
- de Freitas MR (see Janson et al). 2006;129:759-67
- de Freitas MR (see Janson et al). 2006;129:768-74
- de Freitas MR, de Castro RCFR, Janson G, Freitas KMS, Henriques JFC. Correlation between mandibular incisor crown morphologic index and postretention stability. 2006;129:559-61 (Short comm.)
- De Pauw GA (see Temmerman et al). 2006;129:691-5 (Rev. article)
- Dearing SG. Predicting treatment time. 2006;129:717-8 (Letter)
- Decker JD. Asymmetric mandibular prognathism: A 30-year retrospective case report. 2006;129:435-43
- Deguchi T Sr (see Kuroda et al). 2006;129:562-70
- Deguchi T (see Kageyama et al). 2006;129:368-75
- Deguchi T, Nasu M, Murakami K, Yabuuchi T, Kamioka H, Takano-Yamamoto T. Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants. 2006;129:720 (Online Only)
- del Castillo CE (see Bernabé et al). 2006;129:5 (Letter reply)
- Del Santo M Jr. Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships. 2006;129:641-8
- De-la-Rosa-Gay C, Valmasada-Castellón E, Gay-Escoda C. Spontaneous third-molar eruption after second-molar extraction in orthodontic patients. 2006;129:337-44
- Dermat LR (see Temmerman et al). 2006;129:691-5 (Rev. article)
- Díaz-Esnal B (see Carlos et al). 2006;129:402-6
- Diedrich PR (see Kinzinger et al). 2006;129:407-17
- Dolce C (see Wheeler et al). 2006;129:566-70
- Dominguez GC (see Aida et al). 2006;129:486-96
- Dominguez-Rodríguez GC (see Kageyama et al). 2006;129:368-75
- Doruk C, Babacan H, Bıçakçı A. Correction of a mandibular lateral incisor-canine transposition. 2006;129:65-72 (Case rep.)
- Drevenšek G (see Drevenšek et al). 2006;129:555-8 (Short comm.)
- Drevenšek M, Sprogar Š, Boras I, Drevenšek G. Effects of endothelin antagonist tezosentan on orthodontic tooth movement in rats. 2006;129:555-8 (Short comm.)
- Drummond JL (see Al-Musallam et al). 2006;129:245-51
- Drummond JL (see Soderquist et al). 2006;129:175 (Online Only)
- Duarte F (see Mupparapu et al). 2006;129:825-8 (Clin. corner)
- Dugoni S, Aubert M, Baumrind S. Differential diagnosis and treatment planning for early mixed dentition malocclusions. 2006;129:S80-1
- Dunn WJ (see Chitnis et al). 2006;129:330 (Online Only)
- Duranti G (see Ciuffolo et al). 2006;129:75-8 (Techno byte)
- Dutra EH, Maruo H, Vianna-Lara MS. Electromyographic activity evaluation and comparison of the orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects. 2006;129:720 (Online Only)
- Dykhouse VJ (see Owens et al). 2006;129:324-9 (Spec. article)
- E**
- Eliades T. February issue hits the mark. 2006;129:454-6 (Letter)
- Endo T, Ozoe R, Kubota M, Akiyama M, Shimooka S. A survey of hypodontia in Japanese orthodontic patients. 2006;129:29-35
- English JD (see Owens et al). 2006;129:324-9 (Spec. article)
- Epifania E (see Ciuffolo et al). 2006;129:75-8 (Techno byte)
- Erdinc AE, Nanda RS, İşıkıl E. Relapse of anterior crowding in patients treated with extraction and nonextraction of premolars. 2006;129:775-84
- Evans C (see Talic et al). 2006;129:251-60
- Evans CA (see Al-Musallam et al). 2006;129:245-51
- Evans CA (see McKoy-White et al). 2006;129:17-23
- Evans CA (see Soderquist et al). 2006;129:175 (Online Only)
- F**
- Fanghänel J (see Cronau et al). 2006;129:599 (Online Only)
- Farbood M (see de Almeida et al). 2006;129:205-13
- Fastlicht S (see de Almeida et al). 2006;129:205-13
- Fernandes AY (see Garib et al). 2006;129:749-58
- Ferreira FV (see Scavone et al). 2006;129:720 (Online Only)
- Festa F (see Ciuffolo et al). 2006;129:75-8 (Techno byte)
- Fishman LS. Misinterpretation of CentroGraphic Analysis and Class II treatment. 2006;129:321-2 (Letter)
- Fleisher LD (see Moffitt et al). 2006;129:571-3 (Spec. article)
- Flores-Mir C. Does Bigfoot live? 2006;129:716-7 (Letter)
- Flores-Mir C (see Bernabé et al). 2006;129:5 (Letter reply)
- Flores-Mir C (see Bousquet et al). 2006;129:384-9
- Flores-Mir C (see Stevens et al). 2006;129:794-803
- Franchi L (see Chiu et al). 2006;129:3 (Letter reply)
- Franchi L (see Cozza et al). 2006;129:599 (Online Only)
- Franchi L (see Cozza et al). 2006;129:734-9
- Franchi L (see Geran et al). 2006;129:631-40
- Franchi L, Baccetti T. Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures. 2006;129:687-90
- Frazão P, Capel Narvai P. Socio-environmental factors associated with dental occlusion in adolescents. 2006;129:809-16
- Freitas KMS (see de Freitas et al). 2006;129:559-61 (Short comm.)
- Fuziy A (see Angelieri et al). 2006;129:520-7
- G**
- Galbreath RN, Hilgers KK, Silveira AM, Scheetz JP. Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry. 2006;129:672-7
- Gandia JL (see Paredes et al). 2006;129:427-30 (Short comm.)
- Garib DG (see Scavone et al). 2006;129:720 (Online Only)
- Garib DG, Henriques JFC, Janson G, de Freitas MR, Fernandes AY. Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: A computed tomography evaluation. 2006;129:749-58
- Gass JR (see Moullas et al). 2006;129:S111-8 (Case rep.)
- Gautam DP, Valiathan PA. Implants for anchorage. 2006;129:174
- Gautam P, Valiathan A. Space for second and third molar eruption. 2006;129:594 (Letter)
- Gay-Escoda C (see De-la-Rosa-Gay et al). 2006;129:337-44
- Gelgör IE, Karaman AI, Zekiç E. The use of parental data to evaluate soft tissues in an Anatolian Turkish population according to Holdaway soft tissue norms. 2006;129:330 (Online Only)
- Geran RG, McNamara JA Jr, Baccetti T, Franchi L, Shapiro LM. A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition. 2006;129:631-40
- Gianelly A. Evidence-based therapy: An orthodontic dilemma. 2006;129:596-8
- Giddon DB (see McKoy-White et al). 2006;129:17-23
- Gladwin MA (see Signorelli et al). 2006;129:277-82
- Gokalp S (see Arhun et al). 2006;129:547-50 (Short comm.)
- Gonçalves TS, Morganti MA, Campos LC, Rizzato SMD, Menezes LM. Allergy to auto-polymerized acrylic resin in an orthodontic patient. 2006;129:431-5 (Clin. corner)
- Gonzales DA (see Chitnis et al). 2006;129:330 (Online Only)
- Graciano JTA (see Janson et al). 2006;129:759-67
- Greco PM (see Moffitt et al). 2006;129:571-3 (Spec. article)
- Greco PM (see Owens et al). 2006;129:324-9 (Spec. article)
- Gross U (see Kinzinger et al). 2006;129:407-17
- Grubb JE (see Owens et al). 2006;129:324-9 (Spec. article)
- Guimarães AS (see Pellizoni et al). 2006;129:785-93
- Gustovich D (see Moullas et al). 2006;129:S111-8 (Case rep.)
- H**
- Hansen L (see Lagravère et al). 2006;129:599 (Short comm.)
- Harding WJ (see Skidmore et al). 2006;129:718 (Letter reply)
- Harding WJ (see Skidmore et al). 2006;129:230-8
- Harzer W (see Lagravère et al). 2006;129:599 (Short comm.)

- Hays LR (see Neeley et al). 2006;129:178-85 (Rev. article)  
Hays LR (see Neeley et al). 2006;129:185-93 (Rev. article)  
Hazar S (see İşksal et al). 2006;129:8-16  
Henriques JFC (see Azevedo et al). 2006;129:376-83  
Henriques JFC (see de Freitas et al). 2006;129:559-61 (Short comm.)  
Henriques JFC (see Garib et al). 2006;129:749-58  
Henriques JFC (see Janson et al). 2006;129:666-71  
Henriques JFC (see Janson et al). 2006;129:759-67  
Henriques JFC (see Janson et al). 2006;129:768-74  
Heo G (see Stevens et al). 2006;129:794-803  
Hilgers KK (see Galbreath et al). 2006;129:672-7  
Hobson R (see Rowlands et al). 2006;129:331-6  
Huang GJ. Author's response. 2006;129:717 (Letter)  
Huang GJ. Bigfoot lives? 2006;129:323-4  
Huang GJ. Commentary. 2006;129:598  
Huang L-H, Shotwell JL, Wang H-L. Author's response. 2006;129:174  
Huang W (see Xu et al). 2006;129:672-7  
Hwang C-J, Sung S-J, Kim S-J. Lateral cephalometric characteristics of malocclusion patients with temporomandibular joint disorder symptoms. 2006;129:497-503

# I

- Ihlow D (see Cronau et al). 2006;129:599 (Online Only)  
İşksal E (see Erdinc et al). 2006;129:775-84  
İşksal E, Hazar S, Akyalçın S. Smile esthetics: Perception and comparison of treated and untreated smiles. 2006;129:8-16

# J

- Jamieson SA (see Owens et al). 2006;129:324-9 (Spec. article)  
Janson G (see Azevedo et al). 2006;129:376-83  
Janson G (see de Freitas et al). 2006;129:559-61 (Short comm.)  
Janson G (see Garib et al). 2006;129:749-58  
Janson G, Graciano JTA, Henriques JFC, Freitas, MR, Pinzan A, Pinzan-Vercelino CRM. Occlusal and cephalometric Class II Division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars. 2006;129:759-67  
Janson G, Maria FRT, Barros SEC, de Freitas MR, Henriques JFC. Orthodontic treatment time in 2- and 4-premolar-extraction protocols. 2006;129:666-71  
Janson G, Valarelli FP, Beltrão RTS, de Freitas MR, Henriques JFC. Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition. 2006;129:768-74  
Jarjoura K (see Santoro et al). 2006;129:345-51  
Jerrold L. Come back, little Sheba. 2006;129:838-40 (Litigation/legis/ethics)  
Jerrold L. Models and the standard of care. 2006;129:78-80 (Litigation/legis/ethics)  
Jerrold L. Playing while at work: Who pays the bill? 2006;129:446  
Johnston LE Jr. Early treatment 2005: Déjà vu all over again. 2006;129:S45-6  
Jost-Brinkmann P-G (see Sfondrini et al). 2006;129:541-6  
Juliano Y (see Pellizoni et al). 2006;129:785-93

# K

- Kageyama T (see Kuroda et al). 2006;129:562-70  
Kageyama T, Domínguez-Rodríguez GC, Vigorito JW, Deguchi T. A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with Class II Division 1 malocclusions and various facial types. 2006;129:368-75  
Kahl-Nieke B (see Klocke and Kahl-Nieke). 2006;129:261-5  
Kamioka H (see Deguchi et al). 2006;129:720 (Online Only)  
Kandasamy S (see Rinchuse and Kandasamy). 2006;129:299-308 (Spec. article)  
Kanzaki R (see Sugawara et al). 2006;129:720  
Kao E (see Signorelli et al). 2006;129:277-82  
Karabulut E (see Arhun et al). 2006;129:547-50 (Short comm.)  
Karaçay Ş (see Akin et al). 2006;129:24-8  
Karaman AI (see Gelgör et al). 2006;129:330 (Online Only)  
Katona TR, Le YP, Chen J. The effects of first- and second-order gable bends on forces and moments generated by triangular loops. 2006;129:54-9  
Katona TR, Long RW. Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems. 2006;129:60-4

- Katsaros C, Zissis A, Bresin A, Kiliaridis S. Functional influence on sutural bone apposition in the growing rat. 2006;129:351-7  
Katsavrias EG. Morphology of the temporomandibular joint in subjects with Class II Division 2 malocclusions. 2006;129:470-8  
Kawahara I (see Kuroda et al). 2006;129:562-70  
Kaya AD (see Bulut et al). 2006;129:266-71  
Kelleher R. Common sense, open mind needed. 2006;129:719 (Letter)  
Kennedy DB. Board certification upon graduation in Canada. 2006;129:454-6 (Letter)  
Kharbanda OP (see Rex et al). 2006;129:358-67  
Kiliaridis S (see Katsaros et al). 2006;129:351-7  
Kim K-D (see Park et al). 2006;129:599 (Online Only)  
Kim S-J (see Hwang et al). 2006;129:497-503  
Kim T-W (see Ahn et al). 2006;129:479-85  
Kim T-W (see Lee et al). 2006;129:740-8  
King GJ (see Wheeler et al). 2006;129:S66-70  
Kinzinger GSM, Wehrbein H, Gross U, Diedrich PR. Molar distalization with pendulum appliances in the mixed dentition: Effects on the position of unerupted canines and premolars. 2006;129:407-17  
Kiyak HA. Patients' and parents' expectations from early treatment. 2006;129:S50-4  
Klersy C (see Cacciafesta et al). 2006;129:273-6  
Klocke A, Kahl-Nieke B. Effect of debonding force direction on orthodontic shear bond strength. 2006;129:261-5  
Kluemper GT (see Neeley et al). 2006;129:178-85 (Rev. article)  
Kluemper GT (see Neeley et al). 2006;129:185-93 (Rev. article)  
Kokich VG (see Rehak and Kokich). 2006;129:320 (Letter)  
Kokich VG, Crabill KE. Managing the patient with missing or malformed maxillary central incisors. 2006;129:S55-63  
Korkmaz Y (see Arhun et al). 2006;129:547-50 (Short comm.)  
Köşger HH (see Ay et al). 2006;129:36-41  
Kubein-Meesenburg D (see Cronau et al). 2006;129:599 (Online Only)  
Kubota M (see Endo et al). 2006;129:29-35  
Kufnec MM, Shapira Y. Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture. 2006;129:7 (Letter reply)  
Kuitert R, Beckmann S, Loenen M, Tuinzing B, Zentner A. Dentoalveolar compensation in subjects with vertical skeletal dysplasia. 2006;129:649-57  
Kuroda T, Deguchi T Sr, Kageyama T, Kawahara I. Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible in Class I malocclusion. 2006;129:562-70  
Kuro J. Impacted and ankylosed teeth: Why, when, and how to intervene. 2006;129:S86-90  
Kuro J. Unusual transmigration of an impacted maxillary canine. 2006;129:321 (Letter)  
Kyung HM (see Thiruvengatchari et al). 2006;129:551-4 (Short comm.)

# L

- Lagravère MO, Hansen L, Harzer W, Major PW. Plane orientation for standardization in 3-dimensional cephalometric analysis with computerized tomography imaging. 2006;129:599 (Short comm.)  
Laskin DM (see Squire et al). 2006;129:804-8  
Lavelle CLB (see Nemeth et al). 2006;129:395-401  
Le YP (see Katona et al). 2006;129:54-9  
Lee D-Y (see Ahn et al). 2006;129:479-85  
Lee K-J (see Park et al). 2006;129:599 (Online Only)  
Lee S-J, Kim T-W, Nahm D-S. Transverse implications of maxillary premolar extraction in Class III presurgical orthodontic treatment. 2006;129:740-8  
Legan HL (see Conley and Legan). 2006;129:283-92 (Case rep.)  
Leite HR. Author's response. 2006;129:594 (Letter)  
Lima CEO, Lima MTO. Directional force treatment for an adult with Class III malocclusion and open bite. 2006;129:817-24 (Case rep.)  
Lima MTO (see Lima and Lima). 2006;129:817-24 (Case rep.)  
Lin J (see Nie and Lin). 2006;129:528-35  
Lindauer SJ (see Squire et al). 2006;129:804-8  
Liu Y (see Xu et al). 2006;129:672-7  
Loenen M (see Kuitert et al). 2006;129:649-57  
Long RW (see Katona and Long). 2006;129:60-4  
Lowe AA. Orthodontists and sleep-disordered breathing. 2006;129:194 (Guest editorial)

- Lowe AA (see de Almeida et al). 2006;129:195-204  
 Lowe AA (see de Almeida et al). 2006;129:205-13  
 Lowe AA (see Otsuka et al). 2006;129:222-9  
 Luca VD (see Ciuffolo et al). 2006;129:75-8 (Techno byte)

## M

- Macchi A, Carrafiello G, Cacciafesta V, Norcini A. Three-dimensional digital modeling and setup. 2006;129:605-10 (Techno byte)  
 Macfarlane T (see O'Brien et al). 2006;129:536-40  
 Maganzini AL. Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries. 2006;129:454-6 (Letter)  
 Mailankody J. Deferred extraction option for Class II subdivision malocclusion. 2006;129:454-6 (Letter)  
 Major PW (see Lagravère et al). 2006;129:599 (Short comm.)  
 Major PW (see Stevens et al). 2006;129:794-803  
 Mandall N (see O'Brien et al). 2006;129:536-40  
 Maria FRT (see Janson et al). 2006;129:666-71  
 Marklund M. Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea. 2006;129:214-21  
 Marques LS, Ramos-Jorge ML, Paiva SM, Pordeus IA. Malocclusion: Esthetic impact and quality of life among Brazilian schoolchildren. 2006;129:424-7 (Short comm.)  
 Maruo H (see Dutra et al). 2006;129:720 (Online Only)  
 Masella RS, Meister M. Current concepts in the biology of orthodontic tooth movement. 2006;129:458-69 (Spec. article)  
 Matasa C (see Al-Musallam et al). 2006;129:245-51  
 McGorray SP (see Wheeler et al). 2006;129:S66-70  
 McKoy-White J, Evans CA, Viana G, Anderson NK, Giddon DB. Facial profile preferences of black women before and after orthodontic treatment. 2006;129:17-23  
 McNamara JA Jr (see Chiu et al). 2006;129:3 (Letter reply)  
 McNamara JA Jr (see Geran et al). 2006;129:631-40  
 McNamara JA Jr. Long-term adaptations to changes in the transverse dimension in children and adolescents: An overview. 2006;129:S71-4  
 McNamara JA Jr (see Cozza et al). 2006;129:599 (Online Only)  
 McNamara JA Jr (see Cozza et al). 2006;129:734-9  
 Meister M (see Masella and Meister). 2006;129:458-69 (Spec. article)  
 Menezes LM (see Gonçalves et al). 2006;129:431-5 (Clin. corner)  
 Mering S (see Ryley and Mering). 2006;129:S13  
 Miller RJ. Outcome assessments. 2006;129:5 (Letter)  
 Moffitt AH (see Owens et al). 2006;129:324-9 (Spec. article)  
 Moffitt AH, Greco PM, Fleisher LD. Appropriate use of the designation of ABO certification: A Statement by the American Board of Orthodontics. 2006;129:571-3 (Spec. article)  
 Morganti MA (see Gonçalves et al). 2006;129:431-5 (Clin. corner)  
 Moskowitz EM. A glimpse into the future. 2006;129:454-6 (Letter)  
 Moullas AT, Palomo JM, Gass JR, Amberman BD, White J, Gustovich D. Nonsurgical treatment of a patient with a Class III malocclusion. 2006;129:S111-8 (Case rep.)  
 Mupparapu M, Binder RE, Duarte F. Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs. 2006;129:825-8 (Clin. corner)  
 Murakami K (see Deguchi et al). 2006;129:720 (Online Only)  
 Muralidhar Mupparapu AA. Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture. 2006;129:6 (Letter)

## N

- Nagasaka H (see Sugawara et al). 2006;129:720  
 Nägerl H (see Cronau et al). 2006;129:599 (Online Only)  
 Nahm D-S (see Ahn et al). 2006;129:479-85  
 Nahm D-S (see Lee et al). 2006;129:740-8  
 Namura Y, Tsuruoka T, Shimizu N. Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement. 2006;129:175 (Online Only)  
 Nanda R (see Sugawara et al). 2006;129:720  
 Nanda RS (see Erdinc et al). 2006;129:775-84  
 Nasu M (see Deguchi et al). 2006;129:720 (Online Only)  
 Nebbe B (see Stevens et al). 2006;129:794-803

- Neeley WW II, Kluemper GT, Hays LR. Psychiatry in orthodontics. Part 1: Typical adolescent psychiatric disorders and their relevance to orthodontic practice. 2006;129:178-85 (Rev. article)  
 Neeley WW II, Kluemper GT, Hays LR. Psychiatry in orthodontics. Part 2: Substance abuse among adolescents and its relevance to orthodontic practice. 2006;129:185-93 (Rev. article)  
 Nemeth BR, Wiltshire WA, Lavelle CLB. Shear/peel bond strength of orthodontic attachments to moist and dry enamel. 2006;129:395-401  
 Ngan P. Early treatment of Class III malocclusion: Is it worth the burden? 2006;129:S82-5  
 Ngan PW (see Signorelli et al). 2006;129:277-82  
 Nie Q, Lin J. A comparison of dental arch forms between Class II Division 1 and normal occlusion assessed by euclidean distance matrix analysis. 2006;129:528-35  
 Norcini A (see Macchi et al). 2006;129:605-10 (Techno byte)  
 Noroozi H. Orthodontic treatment planning software. 2006;129:834-7 (Techno byte)

## O

- O'Brien K, Wright JL, Conboy F, Macfarlane T, Mandall N. The child perception questionnaire is valid for malocclusions in the United Kingdom. 2006;129:536-40  
 Ohya K (see Suda et al). 2006;129:696-705 (Case rep.)  
 Orhan M (see Usumez et al). 2006;129:42-7  
 Ortiz AJ (see Vicente et al). 2006;129:390-5  
 Otsuka R (see de Almeida et al). 2006;129:195-204  
 Otsuka R (see de Almeida et al). 2006;129:205-13  
 Otsuka R, de Almeida FR, Lowe AA, Ryan F. A comparison of responders and nonresponders to oral appliance therapy for the treatment of obstructive sleep apnea. 2006;129:222-9  
 Owens SE Jr, Dykhous VJ, Moffitt AH, Grubb JE, Greco PM, English JD, Briss BS, Jamieson SA, Riolo ML. The case management form of the American Board of Orthodontics. 2006;129:324-9 (Spec. article)  
 Ozoe R (see Endo et al). 2006;129:29-35

## P

- Paiva SM (see Marques et al). 2006;129:424-7 (Short comm.)  
 Palomo JM (see Moullas et al). 2006;129:S111-8 (Case rep.)  
 Paredes V, Gandia JL, Cibrián R. Do Bolton's ratios apply to a Spanish population? 2006;129:427-30 (Short comm.)  
 Park S-H, Yu H-S, Kim K-D, Lee K-J, Baik H-S. A proposal for a new analysis of craniofacial morphology by 3-dimensional computed tomography. 2006;129:599 (Online Only)  
 Pavithranand A (see Thiruvankatachari et al). 2006;129:551-4 (Short comm.)  
 Peck L (see Peck and Peck). 2006;129:4 (Letter)  
 Peck S, Peck L. Discriminant analysis of indiscriminate data. 2006;129:4 (Letter)  
 Pedrin F, de Almeida MR, de Almeida RR, de Almeida-Pedrin RR, Torres F. A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chin cup therapy in anterior open-bite patients. 2006;129:418-23 (Short comm.)  
 Pellizoni SEP, Salioni MAC, Juliano Y, Guimarães AS, Alonso LG. Temporomandibular joint disc position and configuration in children with functional unilateral posterior crossbite: A magnetic resonance imaging evaluation. 2006;129:785-93  
 Petocz P (see Rex et al). 2006;129:358-67  
 Pinho HS (see Brandão et al). 2006;129:238-44  
 Pinzan A (see Janson et al). 2006;129:759-67  
 Pinzan-Vercelino CRM (see Janson et al). 2006;129:759-67  
 Poling R (see Rowlands et al). 2006;129:331-6  
 Pordeus IA (see Marques et al). 2006;129:424-7 (Short comm.)  
 Port RM. Articulators and gnathology: better care is the real goal. 2006;129:718-9 (Letter)  
 Prah Andersen B (see van Steenberghe et al). 2006;129:658-65  
 Proffit WR. The timing of early treatment: An overview. 2006;129:S47-9  
 Proffit WR (see Cevdanes et al). 2006;129:611-8 (Techno byte)

## R

- Raboud DW (see Stevens et al). 2006;129:794-803  
 Rajasigamani K (see Thiruvankatachari et al). 2006;129:551-4 (Short comm.)



- Ramos-Jorge ML (see Marques et al). 2006;129:424-7 (Short comm.)  
Raviglia D (see Ciuffolo et al). 2006;129:75-8 (Techno byte)  
Rebellato J (see Saiar et al). 2006;129:511-9  
Rehak JR, Kokich VG. Ask us. 2006;129:320 (Letter)  
Rennert M. Online test. 2006;129:841-2  
Rennert M. Questions and registration form. 2006;129:73-4  
Rennert M. Questions and registration form. 2006;129:S119-20  
Rex T, Kharbanda OP, Petocz P, Darendeliler MA. Physical properties of root cementum: Part 6. A comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces. 2006;129:358-67  
Rezza S (see Ciuffolo et al). 2006;129:75-8 (Techno byte)  
Rinchuse DJ, Kandasamy S. Articulators in orthodontics: An evidence-based perspective. 2006;129:299-308 (Spec. article)  
Riolo ML (see Owens et al). 2006;129:324-9 (Spec. article)  
Rizzatto SMD (see Gonçalves et al). 2006;129:431-5 (Clin. corner)  
Romero M (see Vicente et al). 2006;129:390-5  
Rowlands P, Poling R, Slater D, Hobson R, Steen N. Can crown-root ratio predict premolar eruption? 2006;129:331-6  
Ryan F (see Otsuka et al). 2006;129:222-9  
Ryley J, Mering S. Letter from the Publisher. 2006;129:S13

## S

- Saiar M, Rebellato J, Sheats RD. Palatal displacement of canines and maxillary skeletal width. 2006;129:511-9  
Saloni MAC (see Pellizoni et al). 2006;129:785-93  
Santoro M, Jarjoura K, Cangialosi TJ. Accuracy of digital and analogue cephalometric measurements assessed with the sandwich technique. 2006;129:345-51  
Sayin MÖ (see Akin et al). 2006;129:24-8  
Scavone H Jr, Trevisan H Jr, Garib DG, Ferreira FV. Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces. 2006;129:720 (Online Only)  
Scheetz JP (see Galbreath et al). 2006;129:672-7  
Scribante A (see Cacciafesta et al). 2006;129:273-6  
Scribante A (see Sfondrini et al). 2006;129:541-6  
Sesen Ç (see Arhun et al). 2006;129:547-50 (Short comm.)  
Sfondrini MF (see Cacciafesta et al). 2006;129:273-6  
Sfondrini MF, Cacciafesta V, Scribante A, Boehme A, Jost-Brinkmann P-G. Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights. 2006;129:541-6  
Shapira Y (see Bernabé et al). 2006;129:7 (Letter reply)  
Shapiro LM (see Geran et al). 2006;129:631-40  
Sheats RD (see Saiar et al). 2006;129:511-9  
Shimizu N (see Namura et al). 2006;129:175 (Online Only)  
Shimooka S (see Endo et al). 2006;129:29-35  
Shotwell JL (see Huang et al). 2006;129:174  
Signorelli MD, Kao E, Ngan PW, Gladwin MA. Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: An in-vitro and in-vivo study. 2006;129:277-82  
Silveira AM (see Galbreath et al). 2006;129:672-7  
Skidmore KJ, Brook KJ, Thomson WM, Harding WJ. Factors influencing treatment time in orthodontic patients. 2006;129:230-8  
Skidmore KJ, Brook KJ, Thomson WM, Harding WJ. Predicting treatment time. 2006;129:718 (Letter reply)  
Slater D (see Rowlands et al). 2006;129:331-6  
Soderquist SA, Drummond JL, Evans CA. Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading. 2006;129:175 (Online Only)  
Soganci E (see Usumez et al). 2006;129:42-7  
Sprogar Š (see Drevenšek et al). 2006;129:555-8 (Short comm.)  
Squire D, Best AM, Lindauer SJ, Laskin DM. Determining the limits of orthodontic treatment of overbite, overjet, and transverse discrepancy: A pilot study. 2006;129:804-8  
Steen N (see Rowlands et al). 2006;129:331-6  
Stevens DR, Flores-Mir C, Nebbe B, Raboud DW, Heo G, Major PW. Validity, reliability, and reproducibility of plaster vs digital study models: Comparison of peer assessment rating and Bolton analysis and their constituent measurements. 2006;129:794-803

- Stifanelli P (see Cacciafesta et al). 2006;129:273-6  
Styner MA (see Cevdanes et al). 2006;129:611-8 (Techno byte)  
Suda N, Takada J, Ohayama K. Orthodontic treatment in a patient with Van der Woude's syndrome. 2006;129:696-705 (Case rep.)  
Sugawara J, Kanzaki R, Takahashi I, Nagasaka H, Nanda R. Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system. 2006;129:720  
Sung JO (see de Almeida et al). 2006;129:195-204  
Sung S-J (see Hwang et al). 2006;129:497-503

## T

- Takada J (see Suda et al). 2006;129:696-705 (Case rep.)  
Takahashi I (see Sugawara et al). 2006;129:720  
Takano-Yamamoto T (see Deguchi et al). 2006;129:720 (Online Only)  
Talic NF, Evans C, Zaki AM. Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide. 2006;129:251-60  
Temmerman L, De Pauw GA, Beele H, Dermaut LR. Tooth transplantation and cryopreservation: State of the art. 2006;129:691-5 (Rev. article)  
Thiruvankatachari B, Pavithranand A, Rajasigamani K, Kyung HM. Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction. 2006;129:551-4 (Short comm.)  
Thomson WM (see Skidmore et al). 2006;129:718 (Letter reply)  
Thomson WM (see Skidmore et al). 2006;129:230-8  
Toffoli LD (see Cozza et al). 2006;129:599 (Online Only)  
Torres F (see Pedrin et al). 2006;129:418-23 (Short comm.)  
Trevisan H Jr (see Scavone et al). 2006;129:720 (Online Only)  
Tsuiki S (see de Almeida et al). 2006;129:195-204  
Tsuiki S (see de Almeida et al). 2006;129:205-13  
Tsuruoka T (see Namura et al). 2006;129:175 (Online Only)  
Tuesta O (see Bousquet et al). 2006;129:384-9  
Tuinzing B (see Kuitert et al). 2006;129:649-57  
Turkun M (see Bulut et al). 2006;129:266-71  
Turpin DL. Access to care: In search of an answer. 2006;129:319 (Editorial)  
Turpin DL. AJO-DO rings in the new year . . . with changes. 2006;129:1-2 (Editorial)  
Turpin DL. Educating the orthodontic team. 2006;129:593 (Editorial)  
Turpin DL. From public awareness to access. 2006;129:715 (Editorial)  
Turpin DL. Merishon letter recounts the "latest and best". 2006;129:S14 (Editorial)  
Turpin DL. Research award winners shine in 2006. 2006;129:453 (Editorial)  
Turpin DL. "Extreme" treatment with an orthodontic component. 2006;129:173 (Case rep.)

## U

- Urias D (see Brandão et al). 2006;129:238-44  
Usumez S, Uysal T, Orhan M, Soganci E. Relationship between static natural head position and head position measured during walking. 2006;129:42-7  
Uysal T (see Usumez et al). 2006;129:42-7

## V

- Valarelli FP (see Janson et al). 2006;129:768-74  
Valiathan A (see Gautam and Valiathan). 2006;129:594 (Letter)  
Valiathan PA (see Gautam and Valiathan). 2006;129:174  
Valmaseda-Castellón E (see De-la-Rosa-Gay et al). 2006;129:337-44  
van Steenberghe E, Burstone CJ, Pahl-Andersen B, Aartman IHA. Influence of buccal segment size on prevention of side effects from incisor intrusion. 2006;129:658-65  
Viana G (see McKoy-White et al). 2006;129:17-23  
Vianna-Lara MS (see Dutra et al). 2006;129:720 (Online Only)  
Vicente A, Bravo LA, Romero M, Ortiz AJ, Canteras M. Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: An in-vitro study. 2006;129:390-5  
Viecelli RF. Self-corrective T-loop design for differential space closure. 2006;129:48-53  
Vigorito JW (see Kageyama et al). 2006;129:368-75  
Vijande M (see Carlos et al). 2006;129:402-6

## W

- Wahl N. Orthodontics in 3 millennia. Chapter 7: Facial analysis before the advent of the cephalometer. 2006;129:292-8 (Spec. article)
- Wahl N. Orthodontics in 3 millennia. Chapter 8: The cephalometer takes its place in the orthodontic armamentarium. 2006;129:574-80 (Spec. article)
- Wahl N. Orthodontics in 3 millennia. Chapter 9: Functional appliances to midcentury. 2006;129:829-33 (Spec. article)
- Wang H-L (see Huang et al). 2006;129:174
- Watson WG. Distal jet versus pendulum appliance. 2006;129:3 (Letter)
- Wehrbein H (see Kinzinger et al). 2006;129:407-17
- Wheeler TT, McGorray SP, Dolce C, King GJ. The timing of Class II treatment. 2006;129:S66-70
- White J (see Moullas et al). 2006;129:S111-8 (Case rep.)
- Williams RE. No progress without change. 2006;129:719-20 (Letter)
- Wiltshire WA (see Nemeth et al). 2006;129:395-401
- Wright JL (see O'Brien et al). 2006;129:536-40
- Wu CD (see Al-Musallam et al). 2006;129:245-51

## X

- Xu T-M, Liu Y, Yang M-Z, Huang W. Comparison of extraction versus nonextraction orthodontic treatment outcomes for borderline Chinese patients. 2006;129:672-7

## Y

- Yabuuchi T (see Deguchi et al). 2006;129:720 (Online Only)
- Yamashita HK (see Aidar et al). 2006;129:486-96
- Yang M-Z (see Xu et al). 2006;129:672-7
- Yu H-S (see Park et al). 2006;129:599 (Online Only)

## Z

- Zaki AM (see Talic et al). 2006;129:251-60
- Zekiç E (see Gelgör et al). 2006;129:330 (Online Only)
- Zentner A (see Kuitert et al). 2006;129:649-57
- Zissis A (see Katsaros et al). 2006;129:351-7

# Subject index

## A

### Abstracts

Reviews and abstracts. 2006;129:81-3, 315-6, 448, 590, 843, S121

### Acrylic resins

Allergy to auto-polymerized acrylic resin in an orthodontic patient (Gonçalves et al). 2006;129:431-5 (Clin. corner)

Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6

Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6

### Activator appliances

Orthodontics in 3 millennia. Chapter 9: functional appliances to midcentury (Wahl). 2006;129:829-33 (Special article)

The timing of class II treatment (Wheeler et al). 2006;129:S66-70

### Adhesives

Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride (Al-Musallam et al). 2006;129:245-51

Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems (Katona and Long). 2006;129:60-4

Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5

Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)

### Adolescence

Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4

A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with class II division I malocclusions and various facial types (Kageyama et al). 2006;129:368-75

Socio-environmental factors associated with dental occlusion in adolescents (Frazão and Narvai). 2006;129:809-16

### Adolescent behavior

"Extreme" treatment with an orthodontic component (Turpin). 2006;129:173 (Editorial)

Psychiatry in orthodontics. Part 1: typical adolescent psychiatric disorders and their relevance to orthodontic practice (Neeley et al). 2006;129:176-84 (Rev. article)

Psychiatry in orthodontics. Part 2: substance abuse among adolescents and its relevance to orthodontic practice (Neeley et al). 2006;129:185-93 (Rev. article)

### African continental ancestry group

Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23

### Allergy; see Hypersensitivity

### American Association of Orthodontists

Bright Lights, Winning Smiles (conference). 2006;129:87-170

Directory: AAO officers and organizations. 2006;129:171, 318, 452, 592, 714, 846, S123

Meeting announcements. 2006;129:86, 451, 713, S122

News, comments, and service announcements. 2006;129:84-5, 317, 449-50, 591, 712, 844-5

### American Board of Orthodontics

Appropriate use of the designation of ABO certification: a statement by the American Board of Orthodontics (Moffitt et al). 2006;129:571-3 (Special article)

The case management form of the American Board of Orthodontics (Owens et al). 2006;129:325-9 (Spec. article)

### American Journal of Orthodontics & Dentofacial Orthopedics

AJO-DO rings in the new year...with changes (Turpin). 2006;129:1-2 (Editorial)

February issue hits the mark (Eliades). 2006;129:455 (Letter)

Letter from the publisher (Ryley and Mering). 2006;129:S13

### Anatolian Turkish

The use of parental data to evaluate soft tissues in an Anatolian Turkish

population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

### Anchorage

Self-corrective T-loop design for differential space closure (Viecilli). 2006;129:48-53

### Anodontia

Managing the patient with missing or malformed maxillary central incisors (Kokich and Crabill). 2006;129:S55-63

A survey of hypodontia in Japanese orthodontic patients (Endo et al). 2006;129:29-35

### Anti-infective agents

Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride (Al-Musallam et al). 2006;129:245-51

### Anti-inflammatory agents, non-steroidal

Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6

### Antioxidants

Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72

### Appointments and schedules

Come back, little Sheba (Jerrold). 2006;129:838-40 (Litigation/legis./ethics)

### Ask us

Pros and cons of implants (Kokich). 2006;129:320

### Autotransplantation; see Transplantation, autologous

### Awards and prizes

Research award winners shine in 2006 (Turpin). 2006;129:453 (Editorial)

## B

### Bicuspid

Can crown-root ratio predict premolar eruption? (Rowlands et al). 2006;129:331-6

Comparison of extraction versus nonextraction orthodontic treatment outcomes for borderline Chinese patients (Xu et al). 2006;129:672-7

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzing et al). 2006;129:407-17

Nonsurgical treatment of a patient with a class III malocclusion (Moullas et al). 2006;129:S111-8 (Case rep.)

Occlusal and cephalometric class II division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars (Janson et al). 2006;129:759-67

Orthodontic treatment time in 2- and 4-premolar-extraction protocols (Janson et al). 2006;129:666-71

Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67

Relapse of anterior crowding in patients treated with extraction and nonextraction of premolars (Erdinc et al). 2006;129:775-84

Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8

### Biomechanics

Biomechanical features of the periodontium: an experimental pilot study in vivo (Cronau et al). 2006;129:599.e13-e.21

### Biomedical research

Research award winners shine in 2006 (Turpin). 2006;129:453 (Editorial)

### Bionator; see Activator appliances

### Blacks; see African continental ancestry group

### Board certification

Appropriate use of the designation of ABO certification: a statement by the American Board of Orthodontics (Moffitt et al). 2006;129:571-3 (Special article)

Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)

### Body image

The child perception questionnaire is valid for malocclusions in the United Kingdom (O'Brien et al). 2006;129:536-40

**Bond strength**

Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems (Katona and Long). 2006;129:60-4

**Bonding**

Rapid prototyping: A new method of preparing trays for indirect bonding (Ciuffolo et al). 2006;129:75-7 (Techno byte)

**Bone diseases, developmental**

Dentoalveolar compensation in subjects with vertical skeletal dysplasia (Kuitert et al). 2006;129:649-57

**Bone remodeling**

Cellular, molecular, and tissue-level reactions to orthodontic force (Krishnan and Davidovitch). 2006;129:469.e1-e32

**Brazil**

Malocclusion: esthetic impact and quality of life among Brazilian schoolchildren (Marques et al). 2006;129:424-7 (Short comm.)

**Brazilian**

Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces (Scavone et al). 2006;129:721.e1-e5

**C****Calcium**

Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67

**Canine tooth; see Cuspid**

Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzinger et al). 2006;129:407-17

Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7

Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)

**Case management**

The case management form of the American Board of Orthodontics (Owens et al). 2006;129:325-9 (Spec. article)

**Case reports**

Asymmetric mandibular prognathism: a 30-year retrospective case report (Decker). 2006;129:436-43

Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible class I malocclusion (Kuroda et al). 2006;129:562-70 (Case rep.)

Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72

Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92

Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24

Nonsurgical treatment of a patient with a class III malocclusion (Moullas et al). 2006;129:S111-8 (Case rep.)

Orthodontic treatment in a patient with Van der Woude's syndrome (Suda et al). 2006;129:696-705

**Casts, surgical**

Validity, reliability, and reproducibility of plaster versus digital study models: comparison of peer assessment rating and Bolton analysis and their constituent measurements (Stevens et al). 2006;129:794-803

**Centrographic analysis**

Misinterpretation of Centrographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)

**Cephalometry**

Accuracy of digital and analogue cephalometric measurements assessed with the sandwich technique (Santoro et al). 2006;129:345-51

A comparison of responders and nonresponders to oral appliance therapy for the treatment of obstructive sleep apnea (Otsuka et al). 2006;129:222-9

Dentoalveolar compensation in subjects with vertical skeletal dysplasia (Kuitert et al). 2006;129:649-57

Evidence-based therapy: an orthodontic dilemma (Gianelly). 2006;129:596-8

Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)

Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships (Del Santo). 2006;129:641-8

Lateral cephalometric characteristics of malocclusion patients with temporomandibular joint disorder symptoms (Hwang et al). 2006;129:497-503

Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. cephalometric analysis (de Almeida et al). 2006;129:195-204

Misinterpretation of Centrographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)

Occlusal and cephalometric class II division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars (Janson et al). 2006;129:759-67

Orthodontics in 3 millennia: Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8 (Special article)

Orthodontics in 3 millennia: Chapter 8: the cephalometer takes its place in orthodontic armamentarium (Wahl). 2006;129:574-80 (Special article)

Plane orientation for standardization in 3-dimensional cephalometric analysis with computerized tomography imaging (Lagravère et al). 2006;129:601-4 (Short comm.)

A proposal for a new analysis of craniofacial morphology by 3-dimensional computed tomography (Park et al). 2006;129:600.e23-e34

The use of parental data to evaluate soft tissues in an Anatolian Turkish population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

**Ceramics**

Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading (Soderquist et al). 2006;129:175.e7-e12

**Cetylpyridinium**

Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride (Al-Musallam et al). 2006;129:245-51

**Child**

Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4

Malocclusion: esthetic impact and quality of life among Brazilian schoolchildren (Marques et al). 2006;129:424-7 (Short comm.)

Temporomandibular joint disk position and configuration in children with functional unilateral posterior crossbite: a magnetic resonance imaging evaluation (Pellizoni et al). 2006;129:785-93

**Child development**

Patients' and parents' expectations from early treatment (Kiyak). 2006;129:S50-4

**Chincup; see Extraoral traction appliances****Chlorhexidine**

Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6

**Cleft lip**

Orthodontic treatment in a patient with Van der Woude's syndrome (Suda et al). 2006;129:696-705 (Case rep.)

**Cleft palate**

Orthodontic treatment in a patient with Van der Woude's syndrome (Suda et al). 2006;129:696-705 (Case rep.)

**Clinical competence**

Models and the standard of care (Jerrold). 2006;129:78-80 (Litigation/legis/ethics)

**Clinician's corner**

Allergy to auto-polymerized acrylic resin in an orthodontic patient (Gonçalves et al). 2006;129:431-5 (Clin. corner)

Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)



## Color

- Color management for perfect color images (Abelson). 2006;129:311-3 (Techno byte)

## Commentaries

- Evidence-based therapy: an orthodontic dilemma (Huang). 2006;129:598  
Mandibular changes produced by functional appliances in class II malocclusion: a systematic review (Johnston). 2006;129:e1-e4

## Composers

- Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16

## Comprehensive dental care

- Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry (Galbreath et al). 2006;129:678-86

## Compressive strength

- Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10

## Computer graphics

- Color management for perfect color images (Abelson). 2006;129:311-3 (Techno byte)

## Computer terminals

- Color management for perfect color images (Abelson). 2006;129:311-3 (Techno byte)

## Computers

- Rapid prototyping: A new method of preparing trays for indirect bonding (Ciuffolo et al). 2006;129:75-7 (Techno byte)

## Corrections

- Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite (Akin et al) (2006;129:24-8). 2006;129:457, 722  
Self-corrective T-loop design for differential space closure (Vicelli) (2006;129:48-53). 2006;129:457  
The use of parental data to evaluate soft tissues in an Anatolian Turkish population according to Holdaway soft tissue norms (Gelgör et al) (2006;129:330.e1-e9). 2006;129:722

## Correspondence

- Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)  
Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)  
Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5  
Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4  
February issue hits the mark (Eliades). 2006;129:455 (Letter)  
A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)  
Implants for anchorage (Gautam and Valiathan) (Letter); (Huang et al) (Reply). 2006;129:174  
Misinterpretation of Centographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)  
Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries (Maganzini). 2006;129:455 (Letter)  
Outcome assessments (Miller). 2006;129:5-6 (Letter)  
Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5  
Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7  
Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)

## Cranial sutures

- Functional influence on sutural bone apposition in the growing rat (Katsaros et al). 2006;129:352-7

## Craniofacial abnormalities

- Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)

## Craniofacial morphology

- A proposal for a new analysis of craniofacial morphology by 3-dimensional computed tomography (Park et al). 2006;129:600.e23-e34

## Cranium bifidum occultum; see Craniofacial abnormalities

## Crossbite

- Temporomandibular joint disk position and configuration in children with functional unilateral posterior crossbite: a magnetic resonance imaging evaluation (Pellizoni et al). 2006;129:785-93

## Cryopreservation

- Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5 (Review article)

## Cuspid

- Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction (Thiruvengkatchari et al). 2006;129:551-4 (Short comm.)  
Palatal displacement of canines and maxillary skeletal width (Saiar et al). 2006;129:511-9  
Rapid prototyping as a tool for diagnosis and treatment planning for maxillary canine impaction (Faber et al). 2006;129:583-9 (Techno byte)

## Cyclooxygenase 2

- Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6

## Cyclooxygenase 2 inhibitors

- Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6

## D

### Data collection

- A survey of hypodontia in Japanese orthodontic patients (Endo et al). 2006;129:29-35

### Debonding

- Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems (Katona and Long). 2006;129:60-4

### Deglutition

- Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite (Akin et al). 2006;129:24-8

### Delivery of health care

- Evidence-based therapy: an orthodontic dilemma (Huang). 2006;129:598 (Commentary)  
Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry (Galbreath et al). 2006;129:678-86

### Dental alloys

- Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5

### Dental arch

- A comparison of dental arch forms between class II division 1 and normal occlusion assessed by euclidean distance matrix analysis (Nie and Lin). 2006;129:528-35  
Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5  
Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4  
A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with class II division 1 malocclusions and various facial types (Kageyama et al). 2006;129:368-75  
Palatal displacement of canines and maxillary skeletal width (Saiar et al). 2006;129:511-9  
A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition (Geran et al). 2006;129:631-40  
Three-dimensional analysis of models articulated in the seated condylar position from a deprogrammed asymptomatic population: a prospective study. Part I (Corday). 2006;129:619-30  
Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8

### Dental articulators

- Articulator just an instrument (Chubb). 2006;129:720 (Letter)  
Articulators and gnathology: better care is the real goal (Port). 2006;129:718 (Letter)

- Articulators in orthodontics: an evidence-based perspective (Rinchuse and Kandasamy). 2006;129:299-308 (Special article)  
Common sense, open mind needed (Kelleher). 2006;129:719 (Letter)  
No progress without change (Williams). 2006;129:719 (Letter)

**Dental bonding**

- Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading (Soderquist et al). 2006;129:175.e7-e12  
Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82  
Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16  
Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72  
Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6  
Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6  
Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5  
Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5  
A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)  
Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)  
Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

**Dental care for children**

- Access to care: in search of an answer (Turpin). 2006;129:319 (Editorial)  
Early treatment 2005: Déjà vu all over again (Johnston). 2006;129:545-6

**Dental casting technique**

- Validity, reliability, and reproducibility of plaster versus digital study models: comparison of peer assessment rating and Bolton analysis and their constituent measurements (Stevens et al). 2006;129:794-803

**Dental cementum**

- Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67  
Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10

**Dental debonding**

- Effect of debonding force direction in orthodontic shear bond strength (Klocke and Kahl-Nieke). 2006;129:261-5  
Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5

**Dental enamel**

- Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72  
Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

**Dental equipment**

- Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6

**Dental implants**

- Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction (Thiruvengatachari et al). 2006;129:551-4 (Short comm.)  
Implants for anchorage (Gautam and Valiathan) (Letter); (Huang et al) (Reply). 2006;129:174  
Pros and cons of implants (Kokich). 2006;129:320 (Ask us)  
Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12

**Dental models**

- Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. study model analysis (de Almeida et al). 2006;129:195-204  
Three-dimensional analysis of models articulated in the seated condylar position from a deprogrammed asymptomatic population: a prospective study. Part 1 (Corday). 2006;129:619-30  
Validity, reliability, and reproducibility of plaster versus digital study models: comparison of peer assessment rating and Bolton analysis and their constituent measurements (Stevens et al). 2006;129:794-803

**Dental occlusion**

- Evaluation of asymmetries between subjects with class II subdivision and apparent facial asymmetry and those with normal occlusion (Azevedo et al). 2006;129:376-83  
Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships (Del Santo). 2006;129:641-8  
Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea (Marklund). 2006;129:214-21

**Dental occlusion, centric**

- Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. cephalometric analysis (de Almeida et al). 2006;129:195-204  
Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. study model analysis (de Almeida et al). 2006;129:195-204

**Dental stress analysis**

- Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride (Al-Musallam et al). 2006;129:245-51  
Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading (Soderquist et al). 2006;129:175.e7-e12  
Cellular, molecular, and tissue-level reactions to orthodontic force (Krishnan and Davidovitch). 2006;129:469.e1-e32  
Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82  
Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16  
Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68 (Special article)  
Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72  
Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6  
Effect of debonding force direction in orthodontic shear bond strength (Klocke and Kahl-Nieke). 2006;129:261-5  
Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6  
Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5  
Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90 (Short comm.)  
In vivo comparison of force decay between injection molded and die-cut stamped elastomers (Bousquet et al). 2006;129:384-9  
Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6  
Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10  
Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)  
Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

**Dentist-patient relations**

- Psychiatry in orthodontics. Part 1: typical adolescent psychiatric disorders

and their relevance to orthodontic practice (Neeley et al). 2006;129:176-84 (Rev. article)

Psychiatry in orthodontics. Part 2: substance abuse among adolescents and its relevance to orthodontic practice (Neeley et al). 2006;129:185-93 (Rev. article)

#### Dentition, mixed

Differential diagnosis and treatment planning for early mixed dentition malocclusions (Dugoni et al). 2006;129:S80-1

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzinger et al). 2006;129:407-17

A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition (Geran et al). 2006;129:631-40

#### Dentition, permanent

Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition (Janson et al). 2006;129:768-774

A survey of hypodontia in Japanese orthodontic patients (Endo et al). 2006;129:29-35

#### Discriminant analysis

Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5

#### Distalization

Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4

Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzinger et al). 2006;129:407-17

**Distraction osteogenesis;** *see* Osteogenesis, distraction

#### Duty to recontact

Come back, little Sheba (Jerrold). 2006;129:838-40 (Litigation/legis/ethics)

## E

#### Echistatin

Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60

#### Editorials

Access to care: in search of an answer (Turpin). 2006;129:319

AJO-DO rings in the new year . . . with changes (Turpin). 2006;129:1-2

Educating the orthodontic team (Turpin). 2006;129:593

"Extreme" treatment with orthodontic component (Turpin). 2006;129:173

From public awareness to access (Turpin). 2006;129:715

Mershon letter recounts the "latest and best" (Turpin). 2006;129:S14

Research award winners shine in 2006 (Turpin). 2006;129:453

#### Education, continuing

Questions and registration form. 2006;129:73-4, 309-10, 444-5, 581-2, 706-7, 841-2, S119-20

#### Education, dental

Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)

#### Education, dental, continuing

Educating the orthodontic team (Turpin). 2006;129:593 (Editorial)

#### Education, dental, graduate

Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry (Galbreath et al). 2006;129:678-86

#### Educational measurement

Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)

The case management form of the American Board of Orthodontics (Owens et al). 2006;129:325-9 (Spec. article)

#### Elastomers

Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90 (Short comm.)

In vivo comparison of force decay between injection molded and die-cut stamped elastomers (Bousquet et al). 2006;129:384-9

#### Electromyography

Electromyographic activity evaluation and comparison of orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects (Dutra et al). 2006;129:722.e1-e9

#### Endothelins

Effects of endothelin antagonist tezosentan on orthodontic tooth movement in rats (Drevenšek et al). 2006;129:555-8 (Short comm.)

#### Environment

Socio-environmental factors associated with dental occlusion in adolescents (Frazão and Narvai). 2006;129:809-16

#### Episode of care

Factors influencing treatment time in orthodontic patients (Skidmore et al). 2006;129:230-8

Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718

#### Equipment failure

Factors influencing treatment time in orthodontic patients (Skidmore et al). 2006;129:230-8

Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718

#### Esthetics, dental

"Extreme" treatment with an orthodontic component (Turpin). 2006;129:173 (Editorial)

Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces (Scavone et al). 2006;129:721.e1-e5

Malocclusion: esthetic impact and quality of life among Brazilian school-children (Marques et al). 2006;129:424-7 (Short comm.)

Pros and cons of implants (Kokich). 2006;129:320 (Ask us)

Smile esthetics: Perception and comparison of treated and untreated smiles (Isiksal et al). 2006;129:8-16

#### Ethics, dental

Appropriate use of the designation of ABO certification: a statement by the American Board of Orthodontics (Moffitt et al). 2006;129:571-3 (Special article)

**Euclidean distance matrix analysis;** *see* Numerical analysis, computer-assisted

#### Evidence-based orthodontics

Articulators in orthodontics: an evidence-based perspective (Rinchuse and Kandasamy). 2006;129:299-308 (Special article)

Bigfoot lives? (Huang). 2006;129:323-4

Evidence-based therapy: an orthodontic dilemma (Gianelly). 2006;129:596-8; Huang). 2006;129:598 (Commentary)

Mershon letter recounts the "latest and best" (Turpin). 2006;129:S14 (Editorial)

#### Extraoral traction appliances

Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible class I malocclusion (Kuroda et al). 2006;129:562-70 (Case rep.)

Clinical and quantitative assessment of headgear compliance: a pilot study (Brandão et al). 2006;129:239-44

Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)

Early treatment of class III malocclusion: is it worth the burden? (Ngan). 2006;129:S82-5

A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chincup therapy in anterior open-bite patients (Pedrin et al). 2006;129:418-23 (Short comm.)

Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5

The timing of class II treatment (Wheeler et al). 2006;129:S66-70

## F

#### Face

A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with class II division 1 malocclusions and various facial types (Kageyama et al). 2006;129:368-75

Orthodontics in 3 millennia: Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8 (Special article)

The use of parental data to evaluate soft tissues in an Anatolian Turkish

population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

#### Facial asymmetry

Evaluation of asymmetries between subjects with class II subdivision and apparent facial asymmetry and those with normal occlusion (Azevedo et al). 2006;129:376-83

#### Facial bones

A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with class II division I malocclusions and various facial types (Kageyama et al). 2006;129:368-75

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites (Cozza et al). 2006;129:734-9

#### Facial muscles

Electromyographic activity evaluation and comparison of orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects (Dutra et al). 2006;129:722.e1-e9

#### Facial profile

Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces (Scavone et al). 2006;129:721.e1-e5

Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23

#### Fluorides

Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67

**Functional appliances;** see Orthodontic appliances, functional

### G

#### General practice, dental

Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry (Galbreath et al). 2006;129:678-86

#### Giomer

Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16

#### Glass ionomer cements

Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16

Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6

Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Stondrini et al). 2006;129:541-6

#### Guest editorials

Orthodontists and sleep-disordered breathing (Lowe). 2006;129:194

#### Guideline adherence

Appropriate use of the designation of ABO certification: a statement by the American Board of Orthodontics (Moffitt et al). 2006;129:571-3 (Special article)

### H

#### Halogens

Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82

#### Head movements

Relationship between static natural head position and head position measured during walking (Usunez et al). 2006;129:42-7

#### Headgear;

see Extraoral traction appliances

#### Health education, dental

From public awareness to access (Turpin). 2006;129:715 (Editorial)

#### Health services accessibility

Access to care: in search of an answer (Turpin). 2006;129:319 (Editorial)

From public awareness to access (Turpin). 2006;129:715 (Editorial)

**Herbst appliance;** see Orthodontic appliances, functional

#### History

Orthodontics in 3 millennia: Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8 (Special article)

Orthodontics in 3 millennia. Chapter 8: the cephalometer takes its place in orthodontic armamentarium (Wahl). 2006;129:574-80 (Special article)

#### Hypersensitivity

Allergy to auto-polymerized acrylic resin in an orthodontic patient (Gonçalves et al). 2006;129:431-5 (Clin. corner)

**Hypodontia;** see Anodontia

### I

#### Incisor

Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)

Correlation between mandibular incisor crown morphologic index and postretention stability (de Freitas et al). 2006;129:559-61 (Short comm.)

Influence of buccal segment size on prevention of side effects from incisor intrusion (van Steenberg et al). 2006;129:658-65

Managing the patient with missing or malformed maxillary central incisors (Kokich and Crabill). 2006;129:S55-63

Relapse of anterior crowding in patients treated with extraction and nonextraction of premolars (Erdinc et al). 2006;129:775-84

Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kuftinec and Shapira) (Reply). 2006;129:6-7

#### Informed consent

Pros and cons of implants (Kokich). 2006;129:320 (Ask us)

#### Inheritance patterns

The use of parental data to evaluate soft tissues in an Anatolian Turkish population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

#### Integrin alphaVbeta3

Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60

#### Intrusion

Influence of buccal segment size on prevention of side effects from incisor intrusion (van Steenberg et al). 2006;129:658-65

#### Invisalign

Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries (Maganzini). 2006;129:455 (Letter)

Outcome assessments (Miller). 2006;129:5-6 (Letter)

### J

**J-hook headgear;** see Extraoral traction appliances

#### Jawbone

Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces (Scavone et al). 2006;129:721.e1-e5

A survey of hypodontia in Japanese orthodontic patients (Endo et al). 2006;129:29-35

#### Jaw abnormalities

Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible class I malocclusion (Kuroda et al). 2006;129:562-70 (Case rep.)

#### Jaw relation record

Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships (Del Santo). 2006;129:641-8

### L

#### Letters

Articulator just an instrument (Chubb). 2006;129:720 (Letter)

Articulators and gnathology: better care is the real goal (Port). 2006;129:718 (Letter)

Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)

Common sense, open mind needed (Kelleher). 2006;129:719 (Letter)

Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)

Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5



- Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4
- Does Bigfoot live? (Flores-Mir) (Letter); (Huang) (Reply). 2006;129:716-7
- February issue hits the mark (Eliades). 2006;129:455 (Letter)
- A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)
- Implants for anchorage (Gautam and Valiathan) (Letter); (Huang et al) (Reply). 2006;129:174
- Letter from the publisher (Ryley and Mering). 2006;129:S13
- Misinterpretation of Centographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)
- No progress without change (Williams). 2006;129:719 (Letter)
- Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries (Maganzini). 2006;129:455 (Letter)
- Outcome assessments (Miller). 2006;129:5-6 (Letter)
- Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718
- Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5
- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kuftinec and Shapira) (Reply). 2006;129:6-7
- Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)
- Liability, legal**
- Playing while at work: who pays the bill? (Jerrold). 2006;129:446-7 (Litigation/legis./ethics)
- A wolf in sheep's clothing (Jerrold). 2006;129:708-9 (Litigation/legis./ethics)
- Ligatures**
- Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90 (Short comm.)
- Light**
- Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6
- Light-cured resins**
- Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82
- Light curing**
- Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5
- Lip**
- Maxillomandibular expansion: short-term relapse potential and long-term stability (Buschang). 2006;129:S75-9
- Loading**
- Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems (Katona and Long). 2006;129:60-4
- M**
- Magnetic resonance imaging**
- Evaluation of internal derangement of the temporomandibular joint by panoramic radiographs compared with magnetic resonance imaging (Ahn et al). 2006;129:479-85
- Herbst appliance therapy and temporomandibular joint disc position: a prospective longitudinal magnetic resonance imaging study (Aidar et al). 2006;129:486-96
- Temporomandibular joint disk position and configuration in children with functional unilateral posterior crossbite: a magnetic resonance imaging evaluation (Pellizoni et al). 2006;129:785-93
- Magnetic resonance imaging, cine**
- Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite (Akin et al). 2006;129:24-8
- Malocclusion**
- The child perception questionnaire is valid for malocclusions in the United Kingdom (O'Brien et al). 2006;129:536-40
- Common sense, open mind needed (Kelleher). 2006;129:719 (Letter)
- Correlation between mandibular incisor crown morphologic index and postretention stability (de Freitas et al). 2006;129:559-61 (Short comm.)
- Determining the limits of orthodontic treatment of overbite, overjet, and transverse discrepancy: a pilot study (Squire et al). 2006;129:804-8
- Differential diagnosis and treatment planning for early mixed dentition malocclusions (Dugoni et al). 2006;129:S80-1
- Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5
- Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33
- Factors influencing treatment time in orthodontic patients (Skidmore et al). 2006;129:230-8
- Lateral cephalometric characteristics of malocclusion patients with temporomandibular joint disorder symptoms (Hwang et al). 2006;129:497-503
- Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4
- Malocclusion: esthetic impact and quality of life among Brazilian school-children (Marques et al). 2006;129:424-7 (Short comm.)
- Maxillomandibular expansion: short-term relapse potential and long-term stability (Buschang). 2006;129:S75-9
- Palatal displacement of canines and maxillary skeletal width (Saiar et al). 2006;129:511-9
- Patients' and parents' expectations from early treatment (Kiyak). 2006;129:S50-4
- Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: a computed tomography evaluation (Garib et al). 2006;129:749-58
- Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718
- Relapse of anterior crowding in patients treated with extraction and nonextraction of premolars (Erdinc et al). 2006;129:775-84
- Socio-environmental factors associated with dental occlusion in adolescents (Frazão and Narvai). 2006;129:809-16
- Temporomandibular joint disk position and configuration in children with functional unilateral posterior crossbite: a magnetic resonance imaging evaluation (Pellizoni et al). 2006;129:785-93
- The timing of early treatment: an overview (Proffit). 2006;129:S47-9
- Malocclusion, angle class I**
- Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible class I malocclusion (Kuroda et al). 2006;129:562-70 (Case rep.)
- A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chincup therapy in anterior open-bite patients (Pedrin et al). 2006;129:418-23 (Short comm.)
- Malocclusion, angle class II**
- Bigfoot lives? (Huang). 2006;129:323-4
- A comparison of dental arch forms between class II division 1 and normal occlusion assessed by euclidean distance matrix analysis (Nie and Lin). 2006;129:528-35
- Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)
- Dentoalveolar and skeletal changes associated with the pendulum appliance followed by fixed orthodontic treatment (Angelieri et al). 2006;129:520-7
- Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4
- Does Bigfoot live? (Flores-Mir) (Letter); (Huang) (Reply). 2006;129:716-7
- Electromyographic activity evaluation and comparison of orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects (Dutra et al). 2006;129:722.e1-e9
- Evaluation of asymmetries between subjects with class II subdivision and apparent facial asymmetry and those with normal occlusion (Azevedo et al). 2006;129:376-83
- Herbst appliance therapy and temporomandibular joint disc position: a prospective longitudinal magnetic resonance imaging study (Aidar et al). 2006;129:486-96
- Is early treatment for class II malocclusion effective? Results from a randomized controlled trial (O'Brien). 2006;129:S64-5
- Mandibular changes produced by functional appliances in class II maloc-

- clusion: a systematic review (Cozza et al). 2006;129:599.e1-e12 (Rev. article), e4-e6; Johnston). 2006;129:e1-e4 (Commentary)
- Misinterpretation of Centographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)
- A morphological study of the relationship between arch dimensions and craniofacial structures in adolescents with class II division 1 malocclusions and various facial types (Kageyama et al). 2006;129:368-75
- Morphology of the temporomandibular joint in subjects with class II division 2 malocclusions (Katsavrias). 2006;129:470-8
- Occlusal and cephalometric class II division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars (Janson et al). 2006;129:759-67
- Orthodontic treatment time in 2- and 4-premolar-extraction protocols (Janson et al). 2006;129:666-71
- The timing of class II treatment (Wheeler et al). 2006;129:S66-70
- Malocclusion, angle class III**
- Asymmetric mandibular prognathism: a 30-year retrospective case report (Decker). 2006;129:436-43 (Case rep.)
- Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)
- Early treatment of class III malocclusion: is it worth the burden? (Ngan). 2006;129:S82-5
- Nonsurgical treatment of a patient with a class III malocclusion (Moullas et al). 2006;129:S111-8 (Case rep.)
- Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8
- Malpractice**
- A wolf in sheep's clothing (Jerrold). 2006;129:708-9 (Litigation/legis./ethics)
- Mandible**
- Asymmetric mandibular prognathism: a 30-year retrospective case report (Decker). 2006;129:436-43 (Case rep.)
- Bigfoot lives? (Huang). 2006;129:323-4
- Can crown-root ratio predict premolar eruption? (Rowlands et al). 2006;129:331-6
- Changes in mandibular third molar angle and position after unilateral mandibular first molar extraction (Ay et al). 2006;129:36-41
- Chincup therapy for a young woman with anterior displacement and obtuse angle of the mandible class I malocclusion (Kuroda et al). 2006;129:562-70 (Case rep.)
- Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)
- Correlation between mandibular incisor crown morphologic index and postretention stability (de Freitas et al). 2006;129:559-61 (Short comm.)
- Does Bigfoot live? (Flores-Mir) (Letter); (Huang) (Reply). 2006;129:716-7
- Evidence-based therapy: an orthodontic dilemma (Gianelly). 2006;129:596-8
- Mandibular changes produced by functional appliances in class II malocclusion: a systematic review (Cozza et al). 2006;129:599.e1-e12 (Rev. article), e4-e6; Johnston). 2006;129:e1-e4 (Commentary)
- Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12
- Three-dimensional digital modeling and setup (Macchi et al). 2006;129:605-610 (Techno bytes)
- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7
- Mandibular advancement**
- A comparison of responders and nonresponders to oral appliance therapy for the treatment of obstructive sleep apnea (Otsuka et al). 2006;129:222-9
- Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92 (Case rep.)
- Herbst appliance therapy and temporomandibular joint disc position: a prospective longitudinal magnetic resonance imaging study (Aidar et al). 2006;129:486-96
- Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. cephalometric analysis (de Almeida et al). 2006;129:195-204
- Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. study model analysis (de Almeida et al). 2006;129:195-204
- Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea (Marklund). 2006;129:214-21
- Mandibular condyle**
- Morphology of the temporomandibular joint in subjects with class II division 2 malocclusions (Katsavrias). 2006;129:470-8
- Three-dimensional analysis of models articulated in the seated condylar position from a deprogrammed asymptomatic population: a prospective study. Part 1 (Corday). 2006;129:619-30
- Masticatory muscles**
- Functional influence on sutural bone apposition in the growing rat (Katsaros et al). 2006;129:352-7
- Materials testing**
- Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5
- Maxilla**
- A comparison of dental arch forms between class II division 1 and normal occlusion assessed by euclidean distance matrix analysis (Nie and Lin). 2006;129:528-35
- Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92 (Case rep.)
- Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33
- Influence of buccal segment size on prevention of side effects from incisor intrusion (van Steenberg et al). 2006;129:658-65
- Managing the patient with missing or malformed maxillary central incisors (Kokich and Crabill). 2006;129:S55-63
- Occlusal and cephalometric class II division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars (Janson et al). 2006;129:759-67
- Orthodontic treatment time in 2- and 4-premolar-extraction protocols (Janson et al). 2006;129:666-71
- Palatal displacement of canines and maxillary skeletal width (Saiar et al). 2006;129:511-9
- A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition (Geran et al). 2006;129:631-40
- Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12
- Rapid prototyping as a tool for diagnosis and treatment planning for maxillary canine impaction (Faber et al). 2006;129:583-9 (Techno byte)
- Three-dimensional digital modeling and setup (Macchi et al). 2006;129:605-610 (Techno bytes)
- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7
- Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8
- Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)
- Maxillary expansion; see Palatal expansion technique**
- Maxillofacial development**
- Lateral cephalometric characteristics of malocclusion patients with temporomandibular joint disorder symptoms (Hwang et al). 2006;129:497-503
- Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4
- Orthodontics in 3 millennia: Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8 (Special article)
- Orthodontics in 3 millennia. Chapter 8: the cephalometer takes its place in orthodontic armamentarium (Wahl). 2006;129:574-80 (Special article)
- The timing of class II treatment (Wheeler et al). 2006;129:S66-70
- The timing of early treatment: an overview (Proffit). 2006;129:S47-9
- The use of parental data to evaluate soft tissues in an Anatolian Turkish

population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

**Maxillomandibular advancement;** see Mandibular advancement

**Maxillomandibular expansion;** see Palatal expansion technique

**Mental disorders**

Psychiatry in orthodontics. Part 1: typical adolescent psychiatric disorders and their relevance to orthodontic practice (Neeley et al). 2006;129:176-84 (Rev. article)

**Mentalis muscles;** see Facial muscles

**Minerals**

Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67

**Mixed dentition;** see Dentition, mixed

**Models**

Models and the standard of care (Jerrold). 2006;129:78-80 (Litigation/legis/ethics)

**Molar**

Changes in mandibular third molar angle and position after unilateral mandibular first molar extraction (Ay et al). 2006;129:36-41

Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction (Thiruvengkatachari et al). 2006;129:551-4 (Short comm.)

Dentoalveolar and skeletal changes associated with the pendulum appliance followed by fixed orthodontic treatment (Angelieri et al). 2006;129:520-7

Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4

Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzing et al). 2006;129:407-17

Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12

Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5

Spontaneous third-molar eruption after second-molar extraction in orthodontic patients (De-la-Rosa-Gay et al). 2006;129:337-44

**Molar, third**

Changes in mandibular third molar angle and position after unilateral mandibular first molar extraction (Ay et al). 2006;129:36-41

Spontaneous third-molar eruption after second-molar extraction in orthodontic patients (De-la-Rosa-Gay et al). 2006;129:337-44

**Mouth breathing**

Electromyographic activity evaluation and comparison of orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects (Dutra et al). 2006;129:722.e1-e9

**N**

**Nose**

Electromyographic activity evaluation and comparison of orbicularis oris (lower fascicle) and mentalis muscles in predominantly nose- or mouth-breathing subjects (Dutra et al). 2006;129:722.e1-e9

**Numerical analysis, computer-assisted**

A comparison of dental arch forms between class II division 1 and normal occlusion assessed by euclidean distance matrix analysis (Nie and Lin). 2006;129:528-35

**O**

**Obstructive sleep apnea;** see Sleep apnea, obstructive

**Occlusion**

Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)

**Odontoclasts;** see Osteoclasts

**Odontometry**

Do Bolton's ratios apply to a Spanish population? (Paredes et al). 2006;129:428-30 (Short comm.)

**Open bite**

Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)

A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chinup therapy in anterior open-bite patients (Pedrin et al). 2006;129:418-23 (Short comm.)

Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite (Akin et al). 2006;129:24-8

Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition (Janson et al). 2006;129:768-774

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites (Cozza et al). 2006;129:734-9

**Oral appliance**

Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 1. cephalometric analysis (de Almeida et al). 2006;129:195-204

Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. study model analysis (de Almeida et al). 2006;129:195-204

**Orbicularis oris muscle;** see Facial muscles

**Orthodontic anchorage procedures**

Clinical and quantitative assessment of headgear compliance: a pilot study (Brandão et al). 2006;129:239-44

Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction (Thiruvengkatachari et al). 2006;129:551-4 (Short comm.)

Dentoalveolar and skeletal changes associated with the pendulum appliance followed by fixed orthodontic treatment (Angelieri et al). 2006;129:520-7

Implants for anchorage (Gautam and Valiathan) (Letter); (Huang et al) (Reply). 2006;129:174

Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12

**Orthodontic appliance design**

A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)

In vivo comparison of force decay between injection molded and die-cut stamped elastomers (Bousquet et al). 2006;129:384-9

Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea (Marklund). 2006;129:214-21

**Orthodontic appliances**

Dentoalveolar and skeletal changes associated with the pendulum appliance followed by fixed orthodontic treatment (Angelieri et al). 2006;129:520-7

Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4

Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33

Evidence-based therapy: an orthodontic dilemma (Gianelly). 2006;129:596-8

Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90 (Short comm.)

Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzing et al). 2006;129:407-17

Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: a computed tomography evaluation (Garib et al). 2006;129:749-58

Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites (Cozza et al). 2006;129:734-9

**Orthodontic appliances, functional**

Bigfoot lives? (Huang). 2006;129:323-4

Does Bigfoot live? (Flores-Mir) (Letter); (Huang) (Reply). 2006;129:716-7

Early treatment 2005: Déjà vu all over again (Johnston). 2006;129:S45-6

Herbst appliance therapy and temporomandibular joint disc position: a

- prospective longitudinal magnetic resonance imaging study (Aidar et al). 2006;129:486-96
- Mandibular changes produced by functional appliances in class II malocclusion: a systematic review (Cozza et al). 2006;129:599.e1-e12 (Rev. article), e4-e6; Johnston). 2006;129:e1-e4 (Commentary)
- Orthodontics in 3 millennia. Chapter 9: functional appliances to midcentury (Wahl). 2006;129:829-33 (Special article)
- Orthodontic appliances, removable**
- A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chinup therapy in anterior open-bite patients (Pedrin et al). 2006;129:418-23 (Short comm.)
- Orthodontic attachments; see Orthodontic appliances**
- Orthodontic brackets**
- Antimicrobial properties of an orthodontic adhesive combined with cetylpyridinium chloride (Al-Musallam et al). 2006;129:245-51
- Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading (Soderquist et al). 2006;129:175.e7-e12
- Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82
- Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16
- Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)
- Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72
- Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6
- Effect of debonding force direction in orthodontic shear bond strength (Klocke and Kahl-Nieke). 2006;129:261-5
- Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6
- Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5
- Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5
- Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90 (Short comm.)
- A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)
- Rapid prototyping: A new method of preparing trays for indirect bonding (Ciuffolo et al). 2006;129:75-7 (Techno byte)
- Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)
- Orthodontic force**
- Biomechanical features of the periodontium: an experimental pilot study in vivo (Cronau et al). 2006;129:599.e13-e21
- Cellular, molecular, and tissue-level reactions to orthodontic force (Krishnan and Davidovitch). 2006;129:469.e1-e32
- Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68 (Special article)
- Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)
- Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6
- Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67
- Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10
- Orthodontic headgear; see Extraoral traction appliances**
- Orthodontic retainers**
- Allergy to auto-polymerized acrylic resin in an orthodontic patient (Gonçalves et al). 2006;129:431-5 (Clin. corner)
- Orthodontic space closure**
- The effects of first- and second-order gable bends on forces and moments generated by triangular loops (Katona et al). 2006;129:54-9
- Self-corrective T-loop design for differential space closure (Viecilli). 2006;129:48-53
- Orthodontic tooth movement**
- Cellular, molecular, and tissue-level reactions to orthodontic force (Krishnan and Davidovitch). 2006;129:469.e1-e32
- Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68 (Special article)
- Effects of endothelin antagonist tezoseptan on orthodontic tooth movement in rats (Drevenšek et al). 2006;129:555-8 (Short comm.)
- Orthodontic wires**
- The effects of first- and second-order gable bends on forces and moments generated by triangular loops (Katona et al). 2006;129:54-9
- Self-corrective T-loop design for differential space closure (Viecilli). 2006;129:48-53
- Orthodontics**
- Access to care: in search of an answer (Turpin). 2006;129:319 (Editorial)
- Articulator just an instrument (Chubb). 2006;129:720 (Letter)
- Articulators and gnathology: better care is the real goal (Port). 2006;129:718 (Letter)
- Articulators in orthodontics: an evidence-based perspective (Rinchuse and Kandasamy). 2006;129:299-308 (Special article)
- Come back, little Sheba (Jerrold). 2006;129:838-40 (Litigation/legis./ethics)
- Common sense, open mind needed (Kelleher). 2006;129:719 (Letter)
- Early treatment 2005: Déjà vu all over again (Johnston). 2006;129:S45-6
- Educating the orthodontic team (Turpin). 2006;129:593 (Editorial)
- "Extreme" treatment with an orthodontic component (Turpin). 2006;129:173 (Editorial)
- Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23
- Mershon letter recounts the "latest and best" (Turpin). 2006;129:S14 (Editorial)
- No progress without change (Williams). 2006;129:719 (Letter)
- Orthodontic treatment planning software (Noroozi). 2006;129:834-7 (Techno byte)
- Orthodontic treatment provided by general dentists who have achieved master's level in the Academy of General Dentistry (Galbreath et al). 2006;129:678-86
- Orthodontics in 3 millennia. Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8 (Special article)
- Orthodontics in 3 millennia. Chapter 8: the cephalometer takes its place in orthodontic armamentarium (Wahl). 2006;129:574-80 (Special article)
- Orthodontists and sleep-disordered breathing (Lowe). 2006;129:194 (Guest editorial)
- Psychiatry in orthodontics. Part 1: typical adolescent psychiatric disorders and their relevance to orthodontic practice (Neeley et al). 2006;129:176-84 (Rev. article)
- Psychiatry in orthodontics. Part 2: substance abuse among adolescents and its relevance to orthodontic practice (Neeley et al). 2006;129:185-93 (Rev. article)
- Orthodontics, corrective**
- Asymmetric mandibular prognathism: a 30-year retrospective case report (Decker). 2006;129:436-43 (Case rep.)
- The child perception questionnaire is valid for malocclusions in the United Kingdom (O'Brien et al). 2006;129:536-40
- Comparison of extraction versus nonextraction orthodontic treatment outcomes for borderline Chinese patients (Xu et al). 2006;129:672-7
- Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92 (Case rep.)
- Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)
- Determining the limits of orthodontic treatment of overbite, overjet, and transverse discrepancy: a pilot study (Squire et al). 2006;129:804-8
- Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)



- Factors influencing treatment time in orthodontic patients (Skidmore et al). 2006;129:230-8
- Misinterpretation of Centrographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)
- Orthodontic treatment in a patient with Van der Woude's syndrome (Suda et al). 2006;129:696-705 (Case rep.)
- Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718
- Spontaneous third-molar eruption after second-molar extraction in orthodontic patients (De-la-Rosa-Gay et al). 2006;129:337-44
- The timing of early treatment: an overview (Proffit). 2006;129:S47-9
- Orthodontics, interceptive**
- Early treatment of class III malocclusion: is it worth the burden? (Ngan). 2006;129:S82-5
- Is early treatment for class II malocclusion effective? Results from a randomized controlled trial (O'Brien). 2006;129:S64-5
- Patients' and parents' expectations from early treatment (Kiyak). 2006;129:S50-4
- The timing of class II treatment (Wheeler et al). 2006;129:S66-70
- Orthodontists**
- From public awareness to access (Turpin). 2006;129:715 (Editorial)
- Osteoblasts**
- Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68 (Special article)
- Osteoclasts**
- Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68 (Special article)
- Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60
- Osteogenesis**
- Functional influence on sutural bone apposition in the growing rat (Katsaros et al). 2006;129:352-7
- Osteogenesis, distraction**
- Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92 (Case rep.)
- Outcome assessment**
- Comparison of extraction versus nonextraction orthodontic treatment outcomes for borderline Chinese patients (Xu et al). 2006;129:672-7
- Evidence-based therapy: an orthodontic dilemma (Huang). 2006;129:598 (Commentary)
- Is early treatment for class II malocclusion effective? Results from a randomized controlled trial (O'Brien). 2006;129:S64-5
- Mandibular changes produced by functional appliances in class II malocclusion: a systematic review (Cozza et al). 2006;129:599.e1-e12 (Review article)
- Maxillomandibular expansion: short-term relapse potential and long-term stability (Buschang). 2006;129:S75-9
- Orthodontic treatment time in 2- and 4-premolar-extraction protocols (Janson et al). 2006;129:666-71
- Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries (Maganini). 2006;129:455 (Letter)
- Outcome assessments (Miller). 2006;129:5-6 (Letter)
- A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition (Geran et al). 2006;129:631-40
- Overbite**
- Dentoalveolar compensation in subjects with vertical skeletal dysplasia (Kuitert et al). 2006;129:649-57
- Determining the limits of orthodontic treatment of overbite, overjet, and transverse discrepancy: a pilot study (Squire et al). 2006;129:804-8
- Influence of buccal segment size on prevention of side effects from incisor intrusion (van Steenberg et al). 2006;129:658-65
- Overjet**
- Determining the limits of orthodontic treatment of overbite, overjet, and transverse discrepancy: a pilot study (Squire et al). 2006;129:804-8
- Palatal expansion technique**
- Maxillomandibular expansion: short-term relapse potential and long-term stability (Buschang). 2006;129:S75-9
- Parents**
- Patients' and parents' expectations from early treatment (Kiyak). 2006;129:S50-4
- Parietal bone**
- Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)
- Patient care**
- Models and the standard of care (Jerrold). 2006;129:78-80 (Litigation/legis/ethics)
- A wolf in sheep's clothing (Jerrold). 2006;129:708-9 (Litigation/legis/ethics)
- Patient care planning**
- Differential diagnosis and treatment planning for early mixed dentition malocclusions (Dugoni et al). 2006;129:S80-1
- Orthodontic treatment planning software (Noroozi). 2006;129:834-7 (Techno byte)
- Patient compliance**
- Clinical and quantitative assessment of headgear compliance: a pilot study (Brandão et al). 2006;129:239-44
- Factors influencing treatment time in orthodontic patients (Skidmore et al). 2006;129:230-8
- Patient preference; see Patient satisfaction**
- Patient satisfaction**
- Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23
- Patients' and parents' expectations from early treatment (Kiyak). 2006;129:S50-4
- Peer assessment rating**
- Validity, reliability, and reproducibility of plaster versus digital study models: comparison of peer assessment rating and Bolton analysis and their constituent measurements (Stevens et al). 2006;129:794-803
- Pendulum appliances; see Orthodontic appliances**
- Peptides**
- Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60
- Perception**
- Smile esthetics: Perception and comparison of treated and untreated smiles (İşiksal et al). 2006;129:8-16
- Periodontium**
- Biomechanical features of the periodontium: an experimental pilot study in vivo (Cronau et al). 2006;129:599.e13-e.21
- Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: a computed tomography evaluation (Garib et al). 2006;129:749-58
- Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5 (Review article)
- Permanent dentition; see Dentition, permanent**
- Phosphorus**
- Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67
- Physician-patient relations**
- Come back, little Sheba (Jerrold). 2006;129:838-40 (Litigation/legis/ethics)
- Physician's role**
- Come back, little Sheba (Jerrold). 2006;129:838-40 (Litigation/legis/ethics)
- Plasma arc light**
- Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82
- Plaster casts; see Casts, surgical**
- Polyacid-modified composite resin; see Compomers**
- Posture**
- Relationship between static natural head position and head position measured during walking (Usmez et al). 2006;129:42-7
- Practice management, dental**
- Playing while at work: who pays the bill? (Jerrold). 2006;129:446-7 (Litigation/legis/ethics)

**Premolar;** *see* Bicuspid

**Prognathism;** *see also* Malocclusion, angle class III

Asymmetric mandibular prognathism: a 30-year retrospective case report (Decker). 2006;129:436-43 (Case rep.)

**Psychiatric disorders;** *see* Mental disorders

#### **Publishing**

AJO-DO rings in the new year...with changes (Turpin). 2006;129:1-2 (Editorial)

### **Q**

**Quad-helix appliance;** *see* Orthodontic appliances

#### **Quality of life**

Malocclusion: esthetic impact and quality of life among Brazilian school-children (Marques et al). 2006;129:424-7 (Short comm.)

#### **Questionnaires**

The child perception questionnaire is valid for malocclusions in the United Kingdom (O'Brien et al). 2006;129:536-40

### **R**

#### **Radiographic image enhancement**

Accuracy of digital and analogue cephalometric measurements assessed with the sandwich technique (Santoro et al). 2006;129:345-51

#### **Radiography**

Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)

#### **Radiography, dental, digital**

Accuracy of digital and analogue cephalometric measurements assessed with the sandwich technique (Santoro et al). 2006;129:345-51

#### **Radiography, panoramic**

Evaluation of internal derangement of the temporomandibular joint by panoramic radiographs compared with magnetic resonance imaging (Ahn et al). 2006;129:479-85

#### **Rapid maxillary expansion**

Long-term adaptations to changes in the transverse dimension in children and adolescents: an overview (McNamara). 2006;129:S71-4

Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: a computed tomography evaluation (Garib et al). 2006;129:749-58

A prospective long-term study on the effects of rapid maxillary expansion in the early mixed dentition (Geran et al). 2006;129:631-40

#### **Rats**

Effects of endothelin antagonist tezontan on orthodontic tooth movement in rats (Drevensek et al). 2006;129:555-8 (Short comm.)

Functional influence on sutural bone apposition in the growing rat (Katsaros et al). 2006;129:352-7

#### **Readers' forum**

Articulator just an instrument (Chubb). 2006;129:720 (Letter)

Articulators and gnathology: better care is the real goal (Port). 2006;129:718 (Letter)

Board certification upon graduation in Canada (Kennedy). 2006;129:454 (Letter)

Common sense, open mind, needed (Kelleher). 2006;129:719 (Letter)

Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)

Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5

Distal jet versus pendulum appliance (Watson) (Letter); (Chiu et al) (Reply). 2006;129:3-4

Does Bigfoot live? (Flores-Mir) (Letter); (Huang) (Reply). 2006;129:716-7 February issue hits the mark (Eliades). 2006;129:455 (Letter)

A glimpse into the future (Moskowitz). 2006;129:455-6 (Letter)

Implants for anchorage (Gautam and Valiathan) (Letter); (Huang et al) (Reply). 2006;129:174

Misinterpretation of Centographic analysis and class II treatment (Fishman). 2006;129:321-2 (Letter)

No progress without change (Williams). 2006;129:719 (Letter)

Outcome assessment of Invisalign and traditional orthodontic treatment and subsequent commentaries (Maganzini). 2006;129:455 (Letter)

Outcome assessments (Miller). 2006;129:5-6 (Letter)

Predicting treatment time (Dearing) (Letter); (Skidmore et al) (Reply). 2006;129:718

Pros and cons of implants (Kokich). 2006;129:320 (Ask us)

Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5

Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7

Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)

#### **Recreation**

Playing while at work: who pays the bill? (Jerrold). 2006;129:446-7 (Litigation/legis/ethics)

#### **Recurrence**

Maxillomandibular expansion: short-term relapse potential and long-term stability (Buschang). 2006;129:S75-9

#### **Reference standards**

Models and the standard of care (Jerrold). 2006;129:78-80 (Litigation/legis/ethics)

**Removable appliance;** *see* Orthodontic appliances, removable

#### **Reproducibility of results**

Validity, reliability, and reproducibility of plaster versus digital study models: comparison of peer assessment rating and Bolton analysis and their constituent measurements (Stevens et al). 2006;129:794-803

#### **Resin cements**

Effects of different sizes of occlusal metal on curing depth of light-cured orthodontic band cement (Namura et al). 2006;129:175.e1-e5

#### **Review articles**

Psychiatry in orthodontics. Part 1: typical adolescent psychiatric disorders and their relevance to orthodontic practice (Neeley et al). 2006;129:176-84

Psychiatry in orthodontics. Part 2: substance abuse among adolescents and its relevance to orthodontic practice (Neeley et al). 2006;129:185-93

Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5

#### **Reviews and abstracts**

Reviews and abstracts. 2006;129:81-3, 315-6, 448, 590, 710-1, 843, S121

#### **Risk factors**

Socio-environmental factors associated with dental occlusion in adolescents (Frazão and Narvai). 2006;129:809-16

#### **Root resorption**

Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60

Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10

### **S**

#### **Self-etching**

Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)

#### **Shear strength**

Comparison of bond strength between orthodontic brackets bonded with halogen and plasma arc curing lights: an in-vitro and in-vivo study (Signorelli et al). 2006;129:277-82

Comparison of in-vitro bond strengths between resin-modified glass ionomer, polyacid-modified composite resin, and giomer adhesive system (Chitnis et al). 2006;129:330.e11-e16

Effect of an antioxidantizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72

Effect of chlorhexidine application on shear bond strength of brackets bonded with a resin-modified glass ionomer (Cacciafesta et al). 2006;129:273-6

Effect of debonding force direction in orthodontic shear bond strength (Klocke and Kahl-Nieke). 2006;129:261-5

Effect of light-tip distance on the shear bond strengths of resin-modified glass ionomer cured with high-intensity halogen, light-emitting diode, and plasma arc lights (Sfondrini et al). 2006;129:541-6

Effects of 3 adhesion promoters on the shear bond strength of orthodontic brackets: an in-vitro study (Vicente et al). 2006;129:390-5

Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50 (Short comm.)

Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

#### Short communications

Comparison and measurement of the amount of anchorage loss of the molars with and without the use of implant anchorage during canine retraction (Thiruvengatchari et al). 2006;129:551-4 (Short comm.)

Correlation between mandibular incisor crown morphologic index and postretention stability (de Freitas et al). 2006;129:559-61 (Short comm.)  
Do Bolton's ratios apply to a Spanish population? (Paredes et al). 2006;129:428-30

Effects of endothelin antagonist tezontan on orthodontic tooth movement in rats (Drevenšek et al). 2006;129:555-8 (Short comm.)

Forces released during alignment with a preadjusted appliance with different types of elastomeric ligatures (Franchi and Baccetti). 2006;129:687-90

Malocclusion: esthetic impact and quality of life among Brazilian school-children (Marques et al). 2006;129:424-7

Plane orientation for standardization in 3-dimensional cephalometric analysis with computerized tomography imaging (Lagravère et al). 2006;129:601-4

A prospective study of the treatment effects of a removable appliance with palatal crib combined with high-pull chin cup therapy in anterior open-bite patients (Pedrin et al). 2006;129:418-23

Shear bond strength of orthodontic brackets with 3 self-etch adhesives (Arthun et al). 2006;129:547-50

**Skeletal dysplasias;** see Bone diseases, developmental

#### Skull

Hereditary cranium bifidum persisting as enlarged parietal foramina (Catlin marks) on cephalometric radiographs (Mupparapu et al). 2006;129:825-8 (Clin. corner)

#### Skull base

Influence of occlusal plane inclination on ANB and Wits assessments of anteroposterior jaw relationships (Del Santo). 2006;129:641-8

#### Sleep apnea, obstructive

A comparison of responders and nonresponders to oral appliance therapy for the treatment of obstructive sleep apnea (Otsuka et al). 2006;129:222-9

Correction of severe obstructive sleep apnea with bimaxillary transverse distraction osteogenesis and maxillomandibular advancement (Conley and Legan). 2006;129:283-92 (Case rep.)

Long-term sequelae of oral appliance therapy in obstructive sleep apnea patients: Part 2. study model analysis (de Almeida et al). 2006;129:195-204

Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea (Marklund). 2006;129:214-21

#### Sleep apnea syndromes

Orthodontists and sleep-disordered breathing (Lowe). 2006;129:194 (Guest editorial)

**Sleep-disordered breathing;** see Sleep apnea syndromes

#### Smile

Smile esthetics: Perception and comparison of treated and untreated smiles (İşiksal et al). 2006;129:8-16

#### Snoring

Predictors of long-term orthodontic side effects from mandibular advancement devices in patients with snoring and obstructive sleep apnea (Marklund). 2006;129:214-21

#### Socioeconomic factors

Socio-environmental factors associated with dental occlusion in adolescents (Frazão and Narvai). 2006;129:809-16

#### Soft tissue

The use of parental data to evaluate soft tissues in an Anatolian Turkish population according to Holdaway soft tissue norms (Gelgör et al). 2006;129:330.e1-e9

#### Software

Color management for perfect color images (Abelson). 2006;129:311-3 (Techno byte)

Orthodontic treatment planning software (Noroozi). 2006;129:834-7 (Techno byte)

Rapid prototyping: A new method of preparing trays for indirect bonding (Ciuffolo et al). 2006;129:75-7 (Techno byte)

Self-corrective T-loop design for differential space closure (Vicilli). 2006;129:48-53

**Space closure;** see Orthodontic space closure

#### Spain

Do Bolton's ratios apply to a Spanish population? (Paredes et al). 2006;129:428-30 (Short comm.)

#### Special articles

Appropriate use of the designation of ABO certification: a statement by the American Board of Orthodontics (Moffitt et al). 2006;129:571-3

Articulators in orthodontics: an evidence-based perspective (Rinchuse and Kandasamy). 2006;129:299-308

The case management form of the American Board of Orthodontics (Owens et al). 2006;129:325-9

Current concepts in the biology of orthodontic tooth movement (Masella and Meister). 2006;129:458-68

Orthodontics in 3 millennia: Chapter 7: facial analysis before the advent of cephalometer (Wahl). 2006;129:293-8

Orthodontics in 3 millennia: Chapter 8: the cephalometer takes its place in orthodontic armamentarium (Wahl). 2006;129:574-80

Orthodontics in 3 millennia: Chapter 9: functional appliances to mid-century (Wahl). 2006;129:829-33

#### Stainless steel

Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading (Soderquist et al). 2006;129:175.e7-e12

**Standards;** see Reference standards

#### Stress, mechanical

Effect of loading mode on bond strength of orthodontic brackets bonded with 2 systems (Katona and Long). 2006;129:60-4

The effects of first- and second-order gable bends on forces and moments generated by triangular loops (Katona et al). 2006;129:54-9

Self-corrective T-loop design for differential space closure (Vicilli). 2006;129:48-53

**Substance abuse;** see Substance-related disorders

#### Substance-related disorders

"Extreme" treatment with an orthodontic component (Turpin). 2006;129:173 (Editorial)

Psychiatry in orthodontics. Part 2: substance abuse among adolescents and its relevance to orthodontic practice (Neeley et al). 2006;129:185-93 (Rev. article)

#### Superimpositions

Image analysis and superimposition of 3-dimensional cone-beam computed tomography models (Cevdanes et al). 2006;129:611-18 (Techno bytes)

**Surveys;** see Data collection

## T

#### Technology

Color management for perfect color images (Abelson). 2006;129:311-3 (Techno byte)

Image analysis and superimposition of 3-dimensional cone-beam computed tomography models (Cevdanes et al). 2006;129:611-18 (Techno bytes)

Orthodontic treatment planning software (Noroozi). 2006;129:834-7 (Techno byte)

Rapid prototyping: A new method of preparing trays for indirect bonding (Ciuffolo et al). 2006;129:75-7 (Techno byte)

Rapid prototyping as a tool for diagnosis and treatment planning for maxillary canine impaction (Faber et al). 2006;129:583-9 (Techno byte)

Three-dimensional digital modeling and setup (Macchi et al). 2006;129:605-610 (Techno bytes)

#### Temporomandibular joint

Morphology of the temporomandibular joint in subjects with class II division 2 malocclusions (Katsavrias). 2006;129:470-8

#### Temporomandibular joint disk

Evaluation of internal derangement of the temporomandibular joint by

- panoramic radiographs compared with magnetic resonance imaging (Ahn et al). 2006;129:479-85
- Herbst appliance therapy and temporomandibular joint disc position: a prospective longitudinal magnetic resonance imaging study (Aidar et al). 2006;129:486-96
- Temporomandibular joint disk position and configuration in children with functional unilateral posterior crossbite: a magnetic resonance imaging evaluation (Pellizoni et al). 2006;129:785-93
- Temporomandibular joint disorders**
- Evaluation of internal derangement of the temporomandibular joint by panoramic radiographs compared with magnetic resonance imaging (Ahn et al). 2006;129:479-85
- Lateral cephalometric characteristics of malocclusion patients with temporomandibular joint disorder symptoms (Hwang et al). 2006;129:497-503
- Tensile strength**
- Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10
- Tezosentan**
- Effects of endothelin antagonist tezosentan on orthodontic tooth movement in rats (Drevenšek et al). 2006;129:555-8 (Short comm.)
- Third molar; see Molar, third**
- Three-dimensional imaging**
- Image analysis and superimposition of 3-dimensional cone-beam computed tomography models (Cevdanes et al). 2006;129:611-18 (Techno bytes)
- Plane orientation for standardization in 3-dimensional cephalometric analysis with computerized tomography imaging (Lagravère et al). 2006;129:601-4 (Short comm.)
- A proposal for a new analysis of craniofacial morphology by 3-dimensional computed tomography (Park et al). 2006;129:600.e23-e34
- Three-dimensional analysis of models articulated in the seated condylar position from a deprogrammed asymptomatic population: a prospective study. Part 1 (Corday). 2006;129:619-30
- Three-dimensional digital modeling and setup (Macchi et al). 2006;129:605-610 (Techno bytes)
- Tomography, x-ray computed**
- Image analysis and superimposition of 3-dimensional cone-beam computed tomography models (Cevdanes et al). 2006;129:611-18 (Techno bytes)
- Periodontal effects of rapid maxillary expansion with tooth-tissue-borne and tooth-borne expanders: a computed tomography evaluation (Garib et al). 2006;129:749-58
- Plane orientation for standardization in 3-dimensional cephalometric analysis with computerized tomography imaging (Lagravère et al). 2006;129:601-4 (Short comm.)
- A proposal for a new analysis of craniofacial morphology by 3-dimensional computed tomography (Park et al). 2006;129:600.e23-e34
- Quantitative evaluation of cortical bone thickness with computed tomographic scanning for orthodontic implants (Deguchi et al). 2006;129:721.e7-e.12
- Three-dimensional digital modeling and setup (Macchi et al). 2006;129:605-10 (Techno bytes)
- Tongue**
- Real-time balanced turbo field echo cine-magnetic resonance imaging evaluation of tongue movements during deglutition in subjects with anterior open bite (Akin et al). 2006;129:24-8
- Tooth**
- Do Bolton's ratios apply to a Spanish population? (Paredes et al). 2006;129:428-30 (Short comm.)
- Tooth, impacted**
- Impacted and ankylosed teeth: why, when, and how to intervene (Kuroi). 2006;129:S86-90
- Palatal displacement of canines and maxillary skeletal width (Saiar et al). 2006;129:511-9
- Rapid prototyping as a tool for diagnosis and treatment planning for maxillary canine impaction (Faber et al). 2006;129:583-9 (Techno byte)
- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7
- Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)
- Tooth, unerupted**
- Molar distalization with pendulum appliances in the mixed dentition: effects on the position of unerupted canines and premolars (Kinzing et al). 2006;129:407-17
- Tooth abnormalities**
- Managing the patient with missing or malformed maxillary central incisors (Kokich and Crabill). 2006;129:S55-63
- Tooth ankylosis**
- Impacted and ankylosed teeth: why, when, and how to intervene (Kuroi). 2006;129:S86-90
- Tooth avulsion**
- Managing the patient with missing or malformed maxillary central incisors (Kokich and Crabill). 2006;129:S55-63
- Tooth bleaching**
- Effect of an antioxidizing agent on the shear bond strength of brackets bonded to bleached human enamel (Bulut et al). 2006;129:266-72
- Tooth crowding; see Malocclusion**
- Tooth crown**
- Can crown-root ratio predict premolar eruption? (Rowlands et al). 2006;129:331-6
- Correlation between mandibular incisor crown morphologic index and postretention stability (de Freitas et al). 2006;129:559-61 (Short comm.)
- Tooth eruption**
- Can crown-root ratio predict premolar eruption? (Rowlands et al). 2006;129:331-6
- Impacted and ankylosed teeth: why, when, and how to intervene (Kuroi). 2006;129:S86-90
- Space for second and third molar eruption (Gautam and Valiathan) (Letter); (Leite) (Reply). 2006;129:594-5
- Spontaneous third-molar eruption after second-molar extraction in orthodontic patients (De-la-Rosa-Gay et al). 2006;129:337-44
- The timing of early treatment: an overview (Proffit). 2006;129:S47-9
- Tooth eruption, ectopic**
- Correction of a mandibular lateral incisor-canine transposition (Doruk et al). 2006;129:65-72 (Case rep.)
- Tooth extraction**
- Changes in mandibular third molar angle and position after unilateral mandibular first molar extraction (Ay et al). 2006;129:36-41
- Comparison of extraction versus nonextraction orthodontic treatment outcomes for borderline Chinese patients (Xu et al). 2006;129:672-7
- Deferred extraction option for class II subdivision malocclusion (Mailankody). 2006;129:455 (Letter)
- Nonsurgical treatment of a patient with a class III malocclusion (Moullas et al). 2006;129:S111-8 (Case rep.)
- Occlusal and cephalometric class II division 1 malocclusion severity in patients treated with and without extraction of 2 maxillary premolars (Janson et al). 2006;129:759-67
- Orthodontic treatment time in 2- and 4-premolar-extraction protocols (Janson et al). 2006;129:666-71
- Relapse of anterior crowding in patients treated with extraction and nonextraction of premolars (Erdinc et al). 2006;129:775-84
- Smile esthetics: Perception and comparison of treated and untreated smiles (İşiksal et al). 2006;129:8-16
- Spontaneous third-molar eruption after second-molar extraction in orthodontic patients (De-la-Rosa-Gay et al). 2006;129:337-44
- Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition (Janson et al). 2006;129:768-774
- Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8
- Tooth migration**
- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7
- Unusual transmigration of an impacted maxillary canine (Kuroi). 2006;129:321 (Letter)



### Tooth movement

- Biomechanical features of the periodontium: an experimental pilot study in vivo (Cronau et al). 2006;129:599.e13-e21
- Cellular, molecular, and tissue-level reactions to orthodontic force (Krishnan and Davidovitch). 2006;129:469.e1-e32
- Distal movement of maxillary molars in nongrowing patients with the skeletal anchorage system (Sugawara et al). 2006;129:723-33
- The effects of first- and second-order gable bends on forces and moments generated by triangular loops (Katona et al). 2006;129:54-9
- Inhibition of orthodontically induced root resorption with echistatin, an RGD-containing peptide (Talic et al). 2006;129:252-60
- Orthodontic tooth movement after inhibition of cyclooxygenase-2 (Carlos et al). 2006;129:402-6
- Self-corrective T-loop design for differential space closure (Viecilli). 2006;129:48-53
- Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8

### Tooth root

- Can crown-root ratio predict premolar eruption? (Rowlands et al). 2006;129:331-6
- Physical properties of root cementum: Part 6. a comparative quantitative analysis of the mineral composition of human premolar cementum after the application of orthodontic forces (Rex et al). 2006;129:358-67
- Physical properties of root cementum: Part 7. extent of root resorption under areas of compression and tension (Chan and Darendeliler). 2006;129:504-10
- Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5 (Review article)

### Tooth size

- Discriminant analysis of indiscriminate data (Peck and Peck) (Letter); (Bernabé et al) (Reply). 2006;129:4-5

### Transmigration

- Transmigration of impacted and displaced maxillary canines: Orientation of canine to the midpalatine suture (Auluck and Mupparapu) (Letter); (Kufinec and Shapira) (Reply). 2006;129:6-7
- Unusual transmigration of an impacted maxillary canine (Kurul). 2006;129:321 (Letter)

### Transplantation, autologous

- Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5 (Review article)

### Transposition; see Tooth eruption, ectopic

### Treatment outcome

- A comparison of responders and nonresponders to oral appliance therapy

for the treatment of obstructive sleep apnea (Otsuka et al). 2006;129:222-9

Directional force treatment for an adult with class III malocclusion and open bite (Lima and Lima). 2006;129:817-24 (Case rep.)

Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23

Outcome assessments (Miller). 2006;129:5-6 (Letter)

Stability of anterior open-bite extraction and nonextraction treatment in the permanent dentition (Janson et al). 2006;129:768-774

Transverse implications of maxillary premolar extraction in class III presurgical orthodontic treatment (Lee et al). 2006;129:740-8

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites (Cozza et al). 2006;129:734-9

## V

### Van der Woude syndrome

- Orthodontic treatment in a patient with Van der Woude's syndrome (Suda et al). 2006;129:696-705 (Case rep.)

### Vertical dimension

Dentoalveolar compensation in subjects with vertical skeletal dysplasia (Kuitert et al). 2006;129:649-57

Facial profile evaluation in Japanese-Brazilian adults with normal occlusions and well-balanced faces (Scavone et al). 2006;129:721.e1-e5

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites (Cozza et al). 2006;129:734-9

## W

### Walking

- Relationship between static natural head position and head position measured during walking (Usumez et al). 2006;129:42-7

### Wettability

- Shear/peel bond strength of orthodontic attachments to moist and dry enamel (Nemeth et al). 2006;129:396-401

### Wits assessment; see Cephalometry

### Women

- Facial profile preferences of black women before and after orthodontic treatment (McKoy-White et al). 2006;129:17-23

### Workers' compensation

- Playing while at work: who pays the bill? (Jerrold). 2006;129:446-7 (Litigation/legis./ethics)

### Wound healing

- Tooth transplantation and cryopreservation: state of the art (Temmerman et al). 2006;129:691-5 (Review article)